

# SHALL®

潇潇公司

POWER TOOLS
HAND TOOLS
PNEUMATIC TOOLS
TOOL SETS
AGRICULTURE TOOLS
WATER PUMPS
GENERATORS
POWER TOOL ACCESSORIES
FASTENERS & HARDWARE
TAPS & DIES
LADDERS
AUTOMOTIVE ACCESSORIES

AUTOMOTIVE ACCESSORIES

2023-2024

# **SHALL TOOLS CO.,LTD**

Add: No. 9 Chunchao Road, Xiaoshan Economy & Technology Zone, Hangzhou Zhejiang China

Tel: 0086-571-82651930
Fax: 0086-571-82657190
E-mail: shall@shalltools.com
Website: www.shallgroup.com





# **ABOUT SHALL**

SHALL is founded on 1998. SHALL manufacturing complex locates on **Economy & Technology Development Area, total 25,000 square meter.** 

SHALL products cover full range of tools, such as Power Tools, Hand Tools, Garden Tools, Pneumatic Tools, Tool Sets, Agriculture Tools, Water Pumps, Generators, Power Tools Accessories, Fasteners, Hardware, Taps & Dies, Ladders & Automotive Accessories. We have more than 10,000 items.

As a Reliable Chinese company, The SHALL Group offer customers quality products, competitive prices and on-time deliveries. We sell our products world wide.

SHALL have good reputation in the market. SHALL's Excellent Financial Situation strongly support our Input of Marketing, QA, New Products Developing...

SHALL is good. SHALL can be better. SHALL is Improving & Growing.

# INDEX











12V Cigarette Range 2-11





















Lifting Jack 16-23





















Oil Container 43-45

Floor Pump 63













**Car Care 46-62** 













Strap 64-66







Lighting 67-68



#### **Vacuum Cleaner**



#### 2010401

DC12V, 60W, vacuum suction 2200PA With lamp, 3m wire, matching suction nozzle, wet and dry Product size: 29×8.5×12.5cm Product weight: 0.6kg

#### **Vacuum Cleaner**



2010403

DC 12V 90W

Power Suction: 4.0-4.5KPA

10ft cord with cigarette lighter plug

Washable filter streaming

Wet/dry functions with strong suction

Product Size: 400(L) x 100(W) x 105(H)MM

#### **Vacuum Cleaner**



#### 2010407

12 Volt DC 100W
Dry and Wet application
Power Suction: 5.5KPA
4.2 meters power cable with cigarette lighter plug with spare fuse
Product Size: 450(L) x 115(W) x 134(H)MM Weight: 750g
Main Material: ABS

#### **Vacuum Cleaner**



#### 2010402

DC12V, 45-60W, vacuum suction 1500-2200PA 3m wire, matching suction nozzle, wet and dry Product size: 28.5×8.5×11.5cm Product weight: 0.45kg

#### **Vacuum Cleaner**



#### 2010405

DC 12V 90W
Power Suction: 5.5-6.0KPA
10ft cord with cigarette lighter plug
Washable filter streaming
Wet/dry functions with strong suction
Product Size: 400(L) x 100(W) x 105(H)MM

#### **Vacuum Cleaner**

With LED lamp



Dry and Wet application
Power Suction: 4.5KPA
With Tire Inflator 150PSI 23L/min 22mm cylinder
60cm Rubber Hose to inflate

4.2 meters power cable with cigarette lighter plug with spare fuse Product Size:  $388(L) \times 126(W) \times 148(H)MM$  Weight: 1010g Main Material: ABS + AS

#### **Vacuum Cleaner**



#### 2010410

DC 12V or 24V

10ft. spring wire with a cigarette lighter adapter.

Red, yellow and blue colors for your choice and high translucency. The bulb inside can be replaced easily when it is broken.

With popular design and durable material.

Revolving warning light with an on-off switch and round cover.

#### **Vacuum Cleaner**



#### 2010457

100W, DC12V Wet and dry Product weight: 0.7kg/pcs Product size: 35x9x8.5cm Includes: 3 Nozzle Adapters

#### **Cordless Vacuum Cleaner**



**2010459** 120W. 8.4V. 4500 PA

Wet and dry Powered by: 2x2000mah batteries Working time: 20-30 minutes

Charging time: 3-4h

Product weight: 0.7kg/pcs Product size: 35\*9\*8.5 cm

Includes: Tube, Nozzle Adapter, Brush, 2 adapters, USB cable

#### **Vacuum Cleaner**



#### 2010411

DC12V, 60W-120W, vacuum suction 2200PA-3200PA 3m wire, matching suction nozzle, wet and dry Product size: 26×13×13cm Product weight: 0.9kg

#### Vacuum Cleaner



#### 2010458

120W, DC12V, 3500 PA Wet and dry Product weight: 0.7kg/PCS Product size: 34x11x10cm

Cable length: 5m

Includes: Tube, Nozzle Adapter, Brush, 2 adapters

#### **Digital Display Vacuum Cleaner**



120W, DC12V, 10A, 4500PA

Function: Inflating / Lighting / tire pressure testing/ Auto Cut Off at preset air pressure/dust sucking

Product weight: 1.5 kg/pcs
Product size: 40.5x11.5x13.5cm

Includes: Tube, 3 Nozzle Adapter, Brush, suction nozzle, adapters, fuse, booklet



#### 4-in-1 Vacuum Cleaner



#### 2010461

120W, DC12V, 10A, 4500PA

Function: Inflating / Lighting / tire pressure testing/dust sucking

Product weight: 1.5 kg/pcs

Product size: 39x11.5x12.5cm

Includes: Tube, 3 Nozzle Adapter, Brush, suction nozzle,

adapters, fuse, booklet

#### Vacuum Cleaner



#### 2010463

120W, DC12V, 5500 PA

Function: Inflating / Lighting / tire pressure testing/

dust sucking / water sucking Product weight: 1.25kg/pcs Product size: 33x10x14cm

Includes: Tube, Nozzle Adapter, brush, suction nozzle

#### Vacuum Cleaner



#### 2010464

120W, DC12V, 4500 Pa Wet/dry

Product weight: 1.3 kg/pcs Product size: 36.5x10.5x14.5cm

Includes: Tube, Nozzle Adapter, suction nozzle, brush

#### Digital 4-in-1 Vacuum Cleaner



#### 2010462

120W, DC12V, 10A, 4500PA

Function: Inflating / Lighting / tire pressure testing/ Auto Cut Off at preset air pressure/dust sucking

Product weight: 1.5 kg/pcs

Product size: 39x11.5x12.5cm

Includes: Tube, 3 Nozzle Adapter, Brush, suction nozzle, adapters, fuse, booklet

#### **Cordless Vacuum Cleaner**



#### 2010463-1

120W, DC12.6V, 5000 PA

Function: Inflating / Lighting / tire pressure testing/

dust sucking / water sucking

Powered by: 3x2000mah batteries

Working time: 20-30 minutes Charging time: 3-4h

Product weight: 1.25kg/pcs

Product size: 33x10x14cm

Includes: Tube, Nozzle Adapter, brush, suction nozzle

#### Vacuum Cleaner



#### 2010467

120W, DC12V, 5000 Pa

Wet/dry

Product weight: 0.65 kg/PCS Product size: 36.5x10.5x14.5cm

Includes: Tube, Nozzle Adapter, suction nozzle, brush, USB cable

#### Vacuum Cleaner



#### 2010468

120W, DC12V, 6500PA Wet and dry

Product weight: 0.5kg/pcs Product size: 31.5x6x6cm

Includes: Tube, Nozzle Adapter, suction nozzle, brush

#### 2010468-1

Powered by: 2x2000mah batteries Working time: 20-30 min Charging time: 3-4h

Includes: USB cable and so on



#### 2010470

120W, DC12V, 4000 Pa

Wet/dry

Product weight: 0.5 kg/pcs Product size: 17x16x6.5 cm Includes: Nozzle Adapter, brush

#### **Air Compressor**



#### 2010413

DC 12V, 30 cylinder, 150psi

With inflatable function, Air flow rate: 30 liters / min

3m wire with cigarette lighter, 0.8m air hose with three accessories Product size: 17.5x8.5x15.5cm

Product weight: 1.5kg

#### Vacuum Cleaner



#### 2010469

120W, DC12V, 4000PA Wet and dry Product weight: 0.5kg/pcs Product size: 28x7x7cm

Includes: Nozzle Adapter, brush

#### 2010469-1

Powered by: 2x2000mah batteries Working time: 20-30 min Charging time: 3-4h Includes: USB cable and so on

#### **Cordless Vacuum Cleaner**



#### 2010470-1

120W,8.4V,3500 PA

Wet/dry

Powered by: 2x2000mah batteries Working time: 20-30 minutes

Includes: Nozzle Adapter, brush, USB cable

Charging time: 3-4h

Product weight: 0.5 kg/pcs Product size: 17x16x6.5cm

#### **Air Compressor**



#### DC 12V/24V 150PSI

Cylinder diameter: Single 30mm Air hose: 1m rubber hose

Max voltage: 13.8 Volt; Max amperage: 15A Output volume: 40L/min, Inflate ordinary car tyre in 3 mins(>30PSI)

Product size: 22 x 10 x 17cm

Power cord: 3m cord with cigar-lighter plug

Accessories: 2 nozzle adapters and 1 sports needle

#### **Dual Cylinder Air Compressor**



#### 2010441

DC 12V. 15-25A, 280W

Functions: Inflating / Lighting / tire pressure testing/

Air flow rate: 60L/min Product weight: 2.5kg/pcs

Size: 24x16x9 cm

Includes: 3m calbe, clip, tool bag, 3 nozzle adapters, booklet

#### **Air Compressor**



120W, DC12.6V, 10A

Function: Inflating / Lighting / Tire pressure testing

Air flow rate: 40L/min

Powered by: 3x2000mah batteries

Charging time: 3-4h

Working time: 20-30min Product size: 18x13x6.5cm

Includes: 3 Nozzle Adapters, USB cable, booklet

#### Air Compressor



#### 2010445

160W, DC 12V, 10-15A Function: Inflating

Air flow rate: 50L/min Product weight: 1.4kg/pcs

Product size: 16x12x7cm

Includes: 1m cable, 3 nozzle adapters, booklet

#### **Digital Display Air Compressor**



#### 2010442

DC 12V, 15-25A, 280W

Functions: Inflating / Lighting / tire pressure testing/

Auto Cut Off at preset air pressure

Air flow rate: 60L/min

Product weight: 2.5kg/pcs

Size: 24x16x9cm

Includes: 3m calbe, clip, tool bag, 3 nozzle adapters, booklet

#### **Digital Display Air Compressor**



120W, DC12.6V, 10A

Function: Inflating / Lighting / tire pressure testing/

Auto Cut Off at preset air pressure

Air flow rate: 40L/min

Powered by: 3x2000mah batteries

Charging time: 3-4h Working time: 20-30min

Product size: 18x13x6.5cm Includes: 3 Nozzle Adapters, USB cable, booklet

#### Air Compressor



#### 2010446

480W. DC12V. 40A

Function: Inflating / tire pressure testing

Air flow rate: 150L/min Product weight: 6.5kg/pcs Product size: 29x17x13.5cm

Includes: 5m cable with tire pressure gauge, tool bag,

3 Nozzle Adapters, booklet

#### Air Compressor



#### 2010447

540W, DC12V, 45A

Function: Inflating / tire pressure testing

Air flow rate: 150L/min Product weight: 9kg/pcs Product size: 32x22x14cm

Includes: 10m cable with tire pressure gauge, tool bag,

3 Nozzle Adapters, booklet

#### Air Compressor



#### 2010449

160W, DC12V, 15A

Function: Inflating / tire pressure testing

Air flow rate: 45L/min Product weight: 1.5kg/pcs

Product size: 20x20x7cm Includes: 3 nozzle adapters, booklet

#### Air Compressor



#### 2010451

160W, DC12V, 15A

Function: Inflating / tire pressure testing/ Lighting

Air flow rate: 45L/min Product weight: 1.2kg/pcs

Product size: 21.2x15.2x8.6cm Includes: 3 Nozzle Adapters, booklet

#### **Air Compressor**



#### 2010448

1080W, DC12V, 90A

Function: Inflating / tire pressure testing

Air flow rate: 300L/min Product weight: 12kg/PCS Product size: 36x22x14cm

Includes: 10m cable with tire pressure gauge, tool bag,

3 Nozzle Adapters, booklet

#### **Air Compressor**



#### 2010450

160W, DC12V, 15A

Function: Inflating / tire pressure testing/ Auto Cut Off at preset air pressure

Air flow rate: 45L/min Product weight: 1.5kg/pcs Product size: 20x20x7cm

Includes: 3 nozzle adapters, booklet

#### Air Compressor



#### 2010452

160W, DC12V, 15A

Function: Inflating / tire pressure testing/ Auto Cut Off at preset air pressure

Air flow rate: 45L/min Product weight: 1.2kg/pcs Product size: 21.2x15.2x8.6cm

Includes: 3 Nozzle Adapters, booklet

#### **Air Compressor**



#### 2010453

180W, DC12V, 15A

Functions: Inflating / Lighting / tire pressure testing/

Auto Cut Off at preset air pressure

Air flow rate: 50L/min Product weight: 1.8kg/pcs Product size: 21.4x17x7cm

Includes: calbe, clip, tool bag, 3 Nozzle Adapters, booklet

#### **Air Compressor**



#### 2010455

120W, DC12V, 10A

Functions: Inflating / Lighting / tire pressure testing/

Auto Cut Off at preset air pressure

Air flow rate: 40L/min
Product size: 14.5x12x5cm

Includes: 3 nozzle adapters, booklet

#### **Air Compressor**



#### 2010412

DC 12V, 19 cylinder, 250 / 300psi

With inflatable function, Air flow rate: 19 liters / min

3m wire with cigarette lighter, 45cm air hose with three accessories

Product size: 17×14.5×8.5cm

Product weight: 0.8kg

#### **Air Compressor**



#### 2010454

120W, DC12V, 10A

Functions: Inflating / Lighting / tire pressure testing/

Auto Cut Off at preset air pressure

Air flow rate: 40L/min
Product size: 14x5.6x5cm
Includes: 3 nozzle adapters, booklet

#### **Digital Display Air Compressor**



#### 2010456

120W, DC12V, 10A

Functions: Inflating / Lighting / tire pressure testing/

Auto Cut Off at preset air pressure

Air flow rate: 40L/min Product weight: 0.7kg/pcs

Product size: 21x18x5cm Includes: 3 nozzle adapters, booklet

#### 12V Oil Extraction Pump



#### 2010415

12V DC, 5AMP, 80W

Diesel Fuel Approx. 1.5L / min, Motor Oil Flow Approx.0.3L / min.

The elastic power wire can be stretch to 4-5 feet.

Long enough for most engine bays.

You can quickly complete the oil change with Hose for Car Boat Motorbike Truck ATV and Other Vehicles

#### **Revolving Warning Light with Magnetic Base**



DC 12V or 24V

10ft. spring wire with a cigarette lighter adapter.

Red, yellow and blue colors for your choice and high translucency.

The bulb inside can be replaced easily when it is broken.

With popular design and durable material.

Revolving warning light with an on-off switch and round cover.

#### **Revolving Warning Light with Magnetic Base**



#### 2010420

KPR bulb:DC12V/24V, 8W
Frequency:120±10R/M
10FT spring cord with cigarette lighter plug
Hold on the automobile by strong magnet

#### Portable Handheld Light with 12V Car Charger



#### 2010422

Powerful 6V 55W halogen blub DC12V car cigarette lighter plug included Wire length:3m

#### **Revolving Warning Light with Magnetic Base**



#### 2010419

KPR bulb: DC12V/24V, 8W/21W Frequency:120±10R/M 10FT spring cord with cigarette lighter plug Hold on the automobile by strong magnet

#### **Revolving Warning Light with Magnetic Base**



#### 2010421

KPR bulb:DC12V/24V, 8W/21W
Frequency:120±10R/M
10FT spring cord with cigarette lighter plug
Hold on the automobile by strong magnet
With warning voice by ON-OFF switch

#### Portable Handheld Light with 12V Car Charger



#### 2010423

Powerful 6V 55W halogen blub DC12V car cigarette lighter plug included Wire length:3m

#### **Revolving Warning Light with Magnetic Base**



KPR bulb:DC12V/24V, 8W/21W
Frequency:120±10R/M
10FT spring cord with cigarette lighter plug
Hold on the automobile by strong magnet
With warning voice by ON-OFF switch

#### **Revolving Warning Light with 3 screw feet**



2010426
KPR bulb:DC12V/24V, 8W/21W
Frequency:120±10R/M
The base is equipped with three screw feet
Product Size: 11.5(DIA.)X20(H) cm
Different colors available

#### 8" Half-closed Guard Car Fan



2010428 8" Oscillating auto fan 60 strips, screw mounting DC 12V or 24V Half-enclosed guard

#### Revolving Warning Light with Magnetic Base



H3 Halogen Bulb: DC12V 35W
Frequency:120±10R/M
10FT spring cord with cigarette lighter plug
Hold on the automobile by strong magnet
Different colors available

#### **Revolving Warning Light with 3 screw feet**



2010427
Bulb:DC12V/24V, 45W
The base is equipped with three screw feet
Product Size: 16.5(DIA.)X27(H) cm
Different colors available

#### 12V Car Heating Fan



12V plug in fan, heater and defroster.
Easy to use heater fan plugs into your vehicle's accessory outlet for power.
Plugs into the 12v cigarette lighter socket.
Switch for choosing either fan or heater mode.


Fit For Vehicle Car Truck van and motorhomes etc.



#### 12V Car Heating Fan



2010430 Input: 12V 150W Dual function: fan & heater PTC ceramic heating element with portable handle can rotate 360 degree



#### **Car Camera**



2010432

FULL HD CAR DVR 1080P

F=2.0 / F=3.2mm

Digital camcorder

Camera Recorder Night Vision, Loop Recording,

Supercapacitor, Support 256GB Max

#### **Cigarette Lighter Adapter**

12V Car Heating Fan



2010433
Fast USB Car Charger
Cigarette Lighter Splitter



#### **Booster Cable**



#### 2010101

100A Cable Length: 2m 0.25mmx62 OD 6mm

#### **Booster Cable**



#### 2010103

600A

Cable Length: 3m , 14mm²

#### **Booster Cable**



#### 2010105

120AH Cable Length: 2m Suitable for cars up to 1500 cc

#### **Booster Cable**



#### 2010102

350A Cable Length: 2.5m 0.16mm×60 OD 7mm

#### **Booster Cable**



#### 2010104

UL Certification CCA Cu content 23% Electric current start-up ≥110Am 10GA 12FT

#### **Booster Cable**



#### 2010106

200AH Cable Length: 2m Suitable for cars up to 2000 cc

#### **Booster Cable**



#### 2010107

300AH with insulated ABS clips, Cable Length: 2.5m Suitable for gasoline vehicles up to 3500cc diesel vehicles up to 2000c

#### **Booster Cable**



#### 2010109

500AH Cable Length: 4.5m Suitable for cars, trucks

#### **Alligator Clip**



#### 2010111

5pcs 50mm

#### **Booster Cable**



#### 2010108

400AH with insulated ABS clips Cable Length: 3m Suitable for gasoline cars up to 5500cc diesel cars up to 3000cc

#### 12v Battery Tester



#### 2010110

For checking and testing the battery and the dynamo Checking the charging level Functional test of the dynamo Checking the battery starting capability Battery ovreload display

#### **Alligator Clip**



#### 2010112

6pcs 45mm

#### **Alligator Clip**



#### **Alligator Clip**



#### 2010113

600AH

Rubber coated handle

#### 2010114

40AH

Rubber coated handle

#### **Alligator Clip**



#### **Alligator Clip**



#### 2010115

60AH

Rubber coated handle

#### 2010116

90AH

Rubber coated handle

#### **Alligator Clip**



#### 2010117

120AH

Rubber coated handle

#### **Battery Terminal Cleaning Brush**



#### 2010118

Length:80mm Material: Zinc plated

#### **Heavy Duty Truck Battery Terminal**



#### 2010119

Heavy duty commercial applications

Fits over the positive or negative posts on top terminal batteries Good corrosion resistance, electrical conductivity, convenient wiring, etc

Universal fit for 6v and 12v battery posts

#### **Battery Tester**



#### 2010121

Color coded balls for easy reading For use with all wet cells batteries Easy to read Color coded indicators Acid resistant

#### 5/16" Side Terminal Battery Reversible Ratchet Wrench Chrome Plated



#### 2010123

For use on 5/16" battery terminal bolts found on gm and most other domestic vehicles

Insulated vinyl grip handle to prevent electrical shock Reversible, ratcheting box wrench

Satin chrome plated finish to resist corrosion Overall dimensions: 5-5/8" length x 3/4" width

#### **Battery Testers Golf Cart**



Acid resistant

Instant reading warm or cold

Hydrometer immediately and accurately tests battery life

whether the battery is hot or cold

Help extend battery life and detects overcharge

Assists in preventing dead batteries

Works on all 6-12-24 volt systems

#### **Deep Cycle Battery Hydrometer Tester Brand Product**



#### 2010122

Professional Battery Tester

Compact hand held tester reads specific gravity of battery acid Accurate easy to read battery acid testing

#### **Quick Disconnect Battery Terminal**



#### 2010124

Installs on most top post batteries making Connecting and disconnecting power quick and effortless

Turn the Green knob counter-clockwise to disconnect power or clockwise to connect power

Made of brass-plated alloy and fits on both positive and

Compatible with 12-or-24 vehicle Dynamic control systems



## 3 Ton Heavy Duty Steel Jack



- Lift capacity of up to 6000 lb Handle Length 45"

Item No.	Size(Ton)	Lifting Range
2010001	3	5" — 18-3/4"

## 2 Ton Compact Trolley Jack



- Lift capacity of up to 4000 lb
- Formed and welded all-steel construction

Item No.	Size(Ton)	Lifting Range
2010003	2	5-1/8" — 12"

#### 3 Ton Aluminum Racing Jack



- Lift capacity of up to 6000 lb Handle Length 45"

Item No.	Size(Ton)	Lifting Range
2010005	3	3-1/8" — 19-7/8"

#### 3 Ton Low Profile Heavy Duty Steel Jack



- Lift capacity of up to 6000 lb
   Super-tough precision welded construction with an industrial grade finish

Item No.	Size(Ton)	Lifting Range
2010002	3	3-1/8" — 19-5/8"

## 1.5 Ton Aluminum Racing Jack



- · Lift capacity of up to 3000 lb
- · Handle Length 37.2"

Item No.	Size(Ton)	Lifting Range
2010004	1.5	3-1/2" — 14-1/4"

#### **Low Profile Bottle Jack**



· Serrated heat treated extension screw

Item No.	Size(Ton)	Lifting Range
2010006	12	6-11/16"—12"
2010007	20	7-1/2" — 13-3/16"

#### **Bottle Jack**



• Integrated built in bypass and overload valveprotects the hydraulic system from over-pumping damage

	•	
Item No.	Size(Ton)	Lifting Range
2010011	2	6-7/32" — 12-1/8"
2010012	4	7-3/32" — 13-3/4"
2010013	6	7-7/8" — 15-29/32"
2010014	8	7-7/8" — 15-29/32"
2010015	10	7-7/8" — 15-29/32"
2010016	12	8-1/4" — 16-11/32"
2010017	16	8-27/32" — 17-1/2"
2010018	20	9-1/4" — 17-11/32"
2010019	30	11-7/32" — 18-5/16"

#### Off-road Farm Jack



· Lifting arm can be adjusted to any position on the upright

Item No.	Size(Inch)	Lifting Range
2010032	20"	4-5/16" — 14-9/16"
2010033	33"	4-5/16" — 27"
2010034	48"	4-5/16" — 42"
2010035	60"	4-5/16" — 54"

#### **Jack Stands**



· Self locking ratchet handle

Sell locking	Talcheti	iailuie	
Item No.	Size(Ton	Lifting Range	Feature
2010021	2	10-7/16"—15-3/8"	Without foot pad
2010022	2	10-7/16"—15-3/8"	With foot pad
2010023	2	10-7/16"—15-3/8"	European type
2010024	3	10-13/16"—16-5/16"	Without foot pad
2010025	3	10-13/16"—16-5/16"	With foot pad
2010026	3	10-13/16"—16-5/16"	Heavy duty
2010027	3	10-13/16"—16-5/16"	GS certified
2010028	6	14-3/16"—23"	Without foot pad
2010029	6	14-3/16"—23"	With foot pad
2010030	6	14-3/16"—23"	GS certified
2010031	12	18-7/8"—30"	With foot pad

#### Scissor Jack



• Lift capacity of up to 3000 lb

Item No.	Size(Ton)	Lifting Range
2010036	1.0	4" — 13"
2010037	1.5	4" — 15-5/32"
2010038	2.0	4" — 17-5/16"



## **Engine Stand**



- Loading capacity:2000LBS,Product center height:815mm

Item No.	Size(Lb)	Center Height(mm)
2010041	2000	815

## **Engine Stand**



- Loading capacity:1250LBS,Product center height:820mm

Item No.	Size(Lb)	Center Height(mm)
2010042	1250	820

## **Engine Stand**



- · Loading capacity:750LBS,
- Product center height:800mm

Item No.	Size(Lb)	Center Height(mm)
2010043	750	800

#### **Engine Stand**



- Loading capacity:1000LBS,Product center height:800mm

Item No.	Size(Lb)	Center Height(mm)
2010044	1000	800

#### **Shop Crane**



- Loading capacity:2 ton,Working range:0-2350mm,
- Foldable

Item No.	Size(Ton)	Working Range(mm)
2010045	2	0-2350

## **Shop Crane**



- Loading capacity:1 ton,Working range:0-2120mm,Foldable

Item No.	Size(Ton)	Working Range(mm)
2010046	1	0-2120

## **Shop Press**



- Loading capacity:10 ton, Working range:0-340mm

Item No.	Size(Ton)	Working Range(mr
2010047	10	0-340

## Shop Press



- Loading capacity:4 ton,Working range:0-330mm

Item No.	Size(Ton)	Working Range(mm)
2010048	4	0-330



## **Shop Press**



- · Loading capacity:12 ton,
- · Working range:0-620mm

Item No.	Size(Ton)	Working Range(mm)
2010049	12	0-620

#### **Shop Press**



- · Loading capacity:20 ton,
- Working range:0-915mm

Item No.	Size(Ton)	Working Range(mm)
2010050	20	0-915

## **Air Shop Press**



- Loading capacity:20 ton,Working range:0-970mm

Item No.	Size(Ton)	Working Range(mm)
2010051	20	0-970

## **Shop Press**



- Loading capacity:20 ton,Working range:0-970mm

Item No.	Size(Ton)	Working Range(mm)
2010052	20	0-970

#### **Shop Press**



- · Loading capacity:30 ton,
- Working range:0-960mm

Item No.	Size(Ton)	Working Range(mm)	
2010053	30	0-960	

## **Air Shop Press**



- · Loading capacity:50 ton,
- Working range:0-800mm

Item No.	Size(Ton)	Working Range(mm)
2010054	50	0-800

## **Air Motor Cycle Lifting Device**

## **Air Motor Cycle Lifting Device**



- · Loading capacity:1000LBS,
- · Working range:195-780mm,
- Table size:180\*66cm,
- · Ramp size:66\*69cm

Item No.	Size(Lbs)	Working Range(mm)
2010055	1000	195-780



- · Loading capacity:800LBS,
- Working range:200-780mm,Table size:135\*50cm,
- · Ramp size:50\*85cm

Item No.	Size(Lbs)	Working Range(mm)
2010056	800	200 780



#### 2pcs Heavy Duty Wheel Dolly Car Tire Stakes Set

#### 2pcs Heavy Duty Wheel Dolly Car Tire Stakes Set





#### 2010061

Plate size:12" x 16", Thickness of plate: 2.3" Wheel Size: 3" without brake, Finish: Powder coating, Color: Black

Capacity:1,000Lbs for each one

4 ball bearing casters with 360° of rotation.

Ideal for moving trucks & cars trailers, boats, tractors, motorcycles, airplanes, furniture, equipment and more

#### 3 Wheel Moving Dolly



#### 2010063

Soft cushions protect objects being moved Depressed center for objects with legs Holds up to 132lbs evenly distributed (3) 1-1/2" casters for easy maneuvering

#### 2010062

Material: Alloy Steel

Color:Siver

Item Weight: 62 Pounds

Item Dimensions LxWxH: 15.6" x 11.8" x 3.2"

Finish: Powder coating

Capacity: 1,500Lbs for each on

4 ball bearing casters with 360° of rotation

Ideal for moving trucks & cars trailers, boats, tractors, motorcycles, airplanes, furniture, equipment and more

#### Foldable Tyre Wheel Step



#### 2010064

Adjusts to three positions in both tire width and height Fits all tires up to 9.05"-11.02"

Entire unit is finished in a black powder coating,

and its 16.92" wide x 8.46" deep stepping pad holds up to 286 lbs Folds flat for easy storage in soft storage bag

#### **Solid Rubber Wheel Chock**



#### 2010065

Dimensions: 7.9 x 5.9 x 4 inches Weight: 3.5 pounds/piece Quantity: 2 packs or 4 packs

Ideal to keep your vehicle or trailer in place in any climate

All weather construction with rubber traction pad

#### **Plastic Wheel Chocks**



#### 2010067

Durable hard plastic with UV inhibitors For use with tires up to 26" in diameter Non-slip base suitable for most tyre sizes Easy to set up

Without rope, helps keep your trailer RV in place

#### **Heavy Duty Wheel Chocks**



#### 2010069

Product Dimensions: 10.43 x 5.51 x 5.67 inches

Weight: 9.9pounds/piece Quantity: 2 packs or 4 packs Keeps tires from rolling.

Safety device for use with ramps or other lifting devices.

#### **Traditional Blocks With Eyelet**



#### 2010066

Approximate size: 10 inch length x 8 inch width x 6 inch height Rubber construction designed for heavy duty loads Made from non-slip oil resistant rubber for maximum grip Wide base for increased stability and rigidity Steel eyebolt can be used for chain attachment

#### **Aircraft Wheel Chock**



#### 2010068

Robust and Durable
Constructed of durable, solid rubber
Keep your vehicle or trailer secure
30" long connceting high-performance rope makes it easier for
you to chock larger vehicles including trucks and trailers



#### Mechanic Plastic Creeper 40 Inch In Red



#### 2010801

Capacity: 300 Lbs
Material: HDPE Plastic
7cm\*6pcs of Swivel Casters
Dimension: 102x48x12 cm
Weight: 5kgs

#### Creeper



2010803 Tube: 20x20x1mm 2010804 Tube: 25x25x1mm

Item No.	(Inch)	Size (cm)	Casters(Diam)
2010803	36"	38x10.5x92	2"
2010804	40"	42x11 5x102	2.5"

#### 40" Creeper with Adjustable Cushioned Headrest



#### 2010808

Size: 40" 6 casters: 2" Tube: 20x20x1mm Product Size: 43x10.5x102cm

#### 40" Z-Creeper Seat



#### 2010802 Size: 40" 6 Casters: 2.5" Tube: 25x25x1mm

Product Size: 40x14x102cm Folded Size: 54.5x40.5x48cm

#### **Foldable Creeper**



2010805 Tube: 20x20x1mm 2010806 Tube: 25x25x1mm 2010807 Tube: 20x20x1mm

Item No.	(Inch)	Size (cm)	Casters(Diam)
2010805	36"	38x10.5x92	2"
2010806	40"	42x11.5x102	2.5"
2010807	40"	42×10.5×102	2"

#### **Rolling Stool for Mechanic Tools**



#### 2010809

Casters: 2.5" Product Size: 38x38x45-57cm Adjust Height: 45-57cm

#### **Rolling Stool for Mechanic Tools with Drawer**



#### 2010810

4 casters: 2.5" Tube: 25x25x1.2mm Product size: 43x36x38cm

# Rolling Stool for Mechanic Tools



#### 2010811

4 casters: 2.5" Tube: 25x25x1.2mm Product size: 43x36x36cm

## Folding Shop Stand



#### 2010812

Thick foam padding pretects painted parts and glass from being scratched Portable, easy to adjust and stores flat Heavy duty tubular steel 500lbs.capacity rating

#### 30" Aluminum Work Platform



#### 2010813

Locking safety legs.

PVC ABS plastic non skid feet.

19-1/2" high, 15-1/4" wide and 30" long.

Maximum weight capacity 225 lbs.

#### Heavy Duty Universal Lug Wrench, 4-Way Cross Wrench



#### 2011001

Durability: Made from Forged heat treated carbon steel Corrosion-Resistant: Chrome Plated 14 inches body length for easy leverage Four socket heads fit most common SAE and metric lug nut sizes. SAE: 11/16", 3/4", 13/16", 7/8"; Metric: 17mm, 19mm, 21mm, 22mm

## Car Tire Wrench with 2 pcs Sockets



Each tire wrench is equipped with 2 pcs sockets, 17-19 21-23, respectively.

Material: Stainless steel+Rubber

#### **Univ Spark Plug Tool**



Item No.	Size(Inch)
2011005	13/16"
2011006	5/8"

Drop forged steel construction.
Chrome plated to resist corrosion.
Insulated T-handle design.
Swivel action socket for confined areas.
Neoprene insert to grip and protect plugs.

#### 4 Way Truck Lug Wrench



#### 2011002

Size: 20" 4 Way Lug Wrench Drop forged steel Sizes: 3/4, 13/16, 7/8" and 19mm

#### 4 Way Folding Lug Wrench



#### 2011004

Heavy duty drop forged steel Chrome plated to resist corrosion SAE and metric sizes:11/16, 3/4, 13/16 and 7/8 in., 17mm, 19mm, 21mm and 23mm Folds down for compact storage

#### ABN Auto Body Slide Hammer Hub Puller Tool Kit



**2011007** 1pc Cone

1pc Cone
1pc Cone
1pc Cone
1pc Cone
1pc G wdy pallet in
2pcs Hub grappler
3pcs 5" internal an
1pc Large forcing screw
1pc Large forcing screw
1pc Seal hook adapter
1pc Vise grip adapter with double lead thread

1pc 3-way puller head 2pcs Hub grappler adapter flanges 3pcs 5" internal and external jaw bars 1pc 4.8 lb. sliding hammer weight 1pc Shank and T-bar assembly 3pcs hex head cap screws

#### 4-in-1 Valve Core Tool



#### 2011008

Convenience of four tools in one Rethread inside and outside of valve stems Insert or remove valve cores

#### **Pencil Tire Pressure Gauge**



#### 2011010

LxWxH 6 x 1 x 1 inches Index range: 5-50 PSI, 4 sides white scaleplate No packaging Radial and conventional tire gauge

#### Tire Pressure Gauge



#### 2011012

Dial Tire Pressure Gauge Measures with 1%-2% accuracy Heavy-Duty Chrome Head Custom logo Tire Design Casting Swivel Head Measure 10-60PSI

#### **Digital Tire Pressure Gauge**



#### 2011009

Backlit display and convenient lighted tip.
Triple function display P.S.I., BAR, and KPa.
Auto off feature: Automatically shuts off in 30 seconds when not in use.
Accurate to +/- 1 PSI
Requires (5) AG13 button cell batteries (included)

#### **Pencil Tire Pressure Gauge**



#### 2011011

Material Aluminum
Item Dimensions LxWxH 5 x 5 x 10 inches
Index range: 10-120PSI, 4 sides white scaleplate
Main material: stainless steel stem and zinc alloy dual heads
Length: 6-1/8"
Weight: 0.1lbs
With 4 free plastic valve stem caps
No battery needed.

#### Tire Pressure Gauge



#### 2011013

0-750KPa Easy to read High contrast dial Built to last No battery required

#### **Tire Tread Depth Gauge**



#### 2011014

Material : Stainless steel

Item Dimensions LxWxH 3.43 x 1.02 x 0.5 inches

Item Weight 10 Grams

#### **Oil Filter Wrench**



Item No.	Size(Inch)
2011015	2-1/4" to 2-3/4"
2011016	2-7/8" to 3-1/8"

Wide steel band for extra strength Vinyl grip handle Studded band for better grip Removes most spin on type filters

## Swivel Fltr Wr 2-3/8 - 2-5/8



#### 2011017

Smaller narrow band fits oil and fuel filters in tight access applications. Swivel handle, vinyl grip. Narrow studded band. Covers a range to 2-3/8 inch to 2-5/8 inch.

#### Swivel Fltr Wr 4-3/4-5-3/4



#### 2011018

Covers a range to 4-3/4" to 5-3/4" Swivel handle design provides access in confined areas Vinyl grip handle Studded band for better grip Removes most spin on type filters

#### **Oil Filter Pliers**



Item No.	Size(Inch)
2011019	1-3/4" to 4" Dia.
2011020	2" to 5-1/2" Dia.

Slip joint design fits multiple size filters Textured grip Durable gripping teeth

#### Jaw Grip Filter Wrench



#### 2011021

2-3/4 to 4-1/4 jaw opening Serrated jaws for maximum grip Adjustable to fit most filters

#### **2pcs Strap Wrench Set**



#### 2011022

Durable non-slip rubber strap for industrial strength and added grip Flexible strap fits any shape and works easily in confined areas Versatile usage on automobiles, tractors, home applications, and more 2 Tone color handle with PVC coating for extra control Fits items from 3/8" to 6 1/2" diameter

#### 3-Legged Oil Filter Wrench



#### 2011024

3-Jaw Style Wrench
Works with any 3/8 inch square drive ratchet
Fits any oil filter from 2-1/2 inches to 3-7/8 inches
Will not damage or crush filter
Works in tight spaces better than alternative oil filter wrenches
Fashioned of high quality steel
Limited lifetime warranty

#### Piston Ring Comp 3-1/2" to 7'



#### 2011026

Use to install pistons on most passenger cars and truck engines Positive compression and adjustable friction brake. Instructions included.

Band Diameter Sizes: SAE 3-1/2 to 7" (Metric 88 to 177mm)

#### **Heavy Duty Strap Filter Wrench**



#### 2011023

Chrome plated steel bar Tough no slip strap Turn with 1/2 inch ratchet Fits filters up to 6 inch diameter

#### **Oil Filter Wrench**



#### 2011025

RIVE-DRIVE - 27mm socket or 3/8-inch drive wrench. Fits Mercedes and Sprinters (not 3.0L Diesel), Porsche, many VW and Audi engines, and some Ford, Mercury, and Mazda 2.3L and 2.5L engines. Also fits many Mobil1, Bosch, Mahle, Fram and other spin on aftermarket filters SUPER DURABLE - Our better oil filter removal tool is forged from high density 6061 T5 aluminum, which will provide great power to rotate the extremely tight oil filter cap and doesn't damage the oil filter cap when you change oil.

#### **Harmonic Balancer Puller Set**



Easily removes harmonic balancer.
Drop forged alloy steel.
Assorted bolts.
Helps stop damage to pulley and shaft.
14 - Bolts: 3 - 5/16-18 x 3 in, 2 - 3/8-6 x 3 in, 3 - 3/8-24 x 3 in,

3 - 8mm x 1.25 x 80mm, 3 - 10mm x 1.5 x 75mm.

#### Ear Type CV Joint Boot Clmp PI



2011028

Crimps and flattens clamps on ear type CV joint boot clamps.

#### **Strut Spring Compressor**



#### 2011030

Safely and easily compresses coil springs not accessible from the center of the coil.

Works with springs up to 6" outside diameter and wire diameter of a maximum of 5/8".

#### **Coil Spring Compressor Tool**



#### 2011032

Size 11-4/5" Exterior Smooth Material Cast Iron Item Weight 7.05 Pounds Vehicle Service Type P

#### **Tie Rod Pittman Arm Tool**



#### 2011029

For many foreign and domestic autos and light trucks. Removes pitman arm from connecting links. Knurled shaft for better grip.
Drop forged steel construction.
Size: 2 7/8" depth, 1 3/8" width.

#### **Strut Spring Compressor**



#### 2011031

Drop Forged Steel Jaws Compresses Strut and Coil Springs Suitable for Passenger Cars and Light Duty Trucks

#### **Coil Spring Compressor**



#### 2011033

For use on most automotive and light truck applications. Chrome moly steel jaws.
Bilingual instructions.
Replacement part availability.

#### **5pcs Front-End Service Set**



#### 2011034

For removal of most types of pitman arms, tie rods and ball joints found on automotive and light truck applications.

Replacement parts availability.

#### 4 in 1 Ball Joint Adapter Set



#### 2011036

This set includes the necessary tools to service press fit type ball joints without removing the control arm.

Service most car and light truck U joints either on or off the vehicle. 4 x 4 adapters allow removal and installation of upper and lower ball joints on 1967 to current 4WD vehicles with Dana 44 axles. In addition, remove and install brake anchor pins.

#### **Bearing Pullers Set**



#### 2011038

Two of the most widely used and common bearing splitters (2 inches and 3 inch)
Extension Legs- 4"& 5"-4 Sets
Hex Push Puller Legs-4 Sets
6-Inch Yoke Center Adapter
Puller Head Bar A-Type with a 9/16" Forcing Srew

#### **CV Joint Removal Tool**



#### 2011035

Quickly separates the CV Joint from the axle without removing the drive shaft. Reduce the risk of damaging the transmission, or the CV Joint. Keeps hands free for releasing retaining circlip if so equipped. Suitable for most vehicles equipped with Constant Velocity U-joints. Multiple holes allow adjustment to different lengths of joint assemblies. Designed to saves on labor time.

# Maximum CVJ Diameter: 95mm Length: 230mm Master Ball Joint Adapter Set



#### 2011037

Includes all receiving tubes removing and installing adapters needed to work on most GM, Ford and Dodge two and four wheel drive pickups, vans and SUVs through 1997. Works on press fit upper and lower ball joints. Set also includes the 2011035 live center forcing screw plug. Application chart included.

#### **Bearing Race & Seal Dr Set**



#### 2011039

Insert tapered wheel bearing race and seals without damage to the component or axle housing.

Nine disc tool sizes fit most standard wheel bearings.

Tapered sides of disc tools install races, and flat sides install seals. Includes driver handle with bolt.

Sizes: 1.565, 1.75, 1.965, 2.325, 2.47, 2.555, 2.830, 2.995 & 3.180"

#### **Clip Removal Pliers**



#### 2011040

Removes door upholstery and other trim anchors. 2 step tip for easy access. Spring loaded handle for greater leverage.

#### Flat Band Hose Clamp Pliers



#### 2011043

Used to compress spring type hose clamps in tight areas.

Locking ratchet action holds clamp open for removal and installation.

#### **Pulley Puller**



#### 2011045

Pulls pressed on 1 and 2 groove pulleys on alternators and power steering pumps.

Also removes some alternator bearings.

Adjustable jaw tension.

Heavy duty construction.

#### **Steering Wheel Plate Puller**



#### 2011041

Removes steering wheel lock plate for most vehicles with tilt and telescoping columns. Designed for air bag equipped vehicles.

Sizes: 9/16" x 18mm and M14 x 1.5mm adapters.

#### **3pcs Line Clamp Set**



#### 2011044

Set includes small 1/8 to 5/16", medium 1/2 to 3/4", and large 3/4 to 2 1/2" clamps. Heat resistant reinforced nylon construction. Built in locking mechanism.

#### **Pulley Puller / Installer Kit**



#### 2011046

For most alternator and power steering pulleys. Includes power steering line disconnect tool. Bilingual instructions.

Replacement part availability.

#### 4" 3 Jaw Gear Puller



#### 2011047

Heat treated alloy steel. Drop forged for strength. Chrome plated finish. Size: 4" 3 Jaw

#### Valve Spring Compressor



#### 2011049

Hex Bit Size: 3/32"

Compresses valve springs without removing head.
Allows access for service to most valve train components.
For GM 8 cylinder engines and others with stud type rocker arms.

#### Flex Shaft Carb Adjuster



#### **Overhead Valve Spring Compress**



#### 2011048

Conveniently removes valve springs on most cars and light trucks without removing cylinder head.

Offset jaws easily grip and compress valve springs.

# 2pcs Valve lapper Set



#### 2011050

Heavy duty rubber suction cups.
Hardwood handle.
Use with Lapping Compound (not included) to lap valves to match valve seats.
Sizes: Small - 5/8 & 3/16"
Large - 1 1/8" and 1 3/8"

#### 3 Stone Brake Hone 27/32-2"



#### 2011053

Flexible shaft Adjustable honing tension Self centering Sizes: 27/32 to 2"

#### Brake Bleeder Kit



#### 2011054

Allows person to quickly and easily bleed air from brake lines. Magnetic pad holds collection bottle to metal frame. Includes adapters for multiple applications. Detailed instructions on package.

#### Fuel Line Clip Removal Pliers



For releasing connections on fuel lines during maintenance or when replacing fuel filters.

Designed to compress the quick disconnect lugs without damaging the connector

Works on VW and Audi fuel lines with plastic snap-together connectors. Mercedes M-Class fuel filters.

Ford, Mazda, Fiat, GM and BMW's with gas powered engines.

#### **NOX and SOOT Sensor Socket**



#### 2011058

Used to remove the 24 & 30mm NOX & SOOT Sensors on 2014 to current Dodge Diesels

Crow Foot design provided access to sensor W/O cutting wires and limited access applications

1/2" Hex allows 1/2" breaker bars to be used for high break away torques required to remove sensors

6 and 12 Pt SP Grip Drive contacts the sensor hex body For Chrysler, Dodge, Jeep Diesels and other manufactures using NOX and SOOT

#### **Vacuum Pump Kit**



#### 2011055

One person brake bleeding and automotive test kit. Vacuum tool can test and diagnose a wide variety of parts

and common systems on any vehicle.

Complete kit includes accessories for both brake bleeding and

automotive diagnosis.

Test Ignition timing, chokes, mechanical fuel pumps, and other vacuum actuated accessories.

Pumps approximately 1 cubic inch per stroke, and develops and holds up to 25" of vacuum (Mercury Hg)

#### 3pcs Tail Pipe Expander Exhaust Muffler Spreader Tool Set



Small: 1-1/8" to 1-3/4" Medium: 1-1/2" to 2-1/2" Large: 2-1/8" to 3-1/2"

For expanding exhaust pipes, rounding pipe ends, and removing exhaust clamp grooves.

#### **Scissor Fuel Line Disconnect**



#### 2011060

For easy fuel filter replacement.

Easily separates quick disconnect style fittings on 5/16" and 3/8" fuel lines.

GM 1989 to current, Ford 1990 to current, and some Mazda models 1990 to current.

Sizes: 5/16" and 3/8"

Mazda some models 1990 to current

#### A/C & Fuel Line Disconnect Set



Easily disconnects air conditioning lines and quick connect fuel lines. Set contains six release tools that disengages the spring lock coupling on Ford and Chrysler air conditioning lines.

Disengages the spring lock coupling on GM, Ford,

5/16 inch disengages the spring lock coupling on Ford radiator and transmission lines.

Includes the following sizes: 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch and 7/8 inch.

#### 6pcs A/C & Fuel Line Quick

and Chrysler fuel lines.



#### 2011063

Color coded compact size for quick selection and easy storage. Instructions for use on package.
Sizes: 5/16, 3/8, 1/2, 5/8, 3/4 and 7/8"

#### **Spark Plug Gap Gauge**



#### 2011064

Small fishbowl

Easy to read markings to set gaps quickly and easily

Range: .020 to .100" (.5 to 2.5 mm)
Tapered hole adjusts electrode

#### **7pcs Specialty Switch Socket Set**



#### 2011059

Includes: 7/8" (22mm) offset extended oxygen sensor socket.

7/8" (22mm) offset oxygen sensor socket.

7/8" (22mm) vacuum switch socket.

7/8" (22mm) oxygen sensor socket.

1-1/16" (27mm) deep oil switch socket. 1-3/16" (29mm) oil sender unit socket.

1-1/16" (27mm) GM thermal sensor switch socket.

Remove and install sensors on computerized engine control vehicles.

#### 23pcs Terminal Release Kit



#### 2011062

Terminal Release/ Remover Set to release the terminals from plastic connector housings on American, European and Japanese vehicles Set of 23 different sized tools specially designed to safely remove wires from terminal blocks without damage

Tools fit terminals used in BMW, Mercedes, VW, Audi, Jaguar, Porsche, Saab, Ford, Chrysler, Fiat, Honda, Mazda, Mitsubishi and Toyota vehicles

Kit includes tube, flat, flat twin, flat twin angle tip, square, tripple flat, U-notched flat, pin and pick style blades

A reference chart listing sizes and compatible manufacturers for each tool is included

Comfort grip TPR layered polypropylene handles

Tool tips are made from stainless steel with chrome-plated hollow brase shafts

All 23 tools and reference chart fit into the included blow-molded plastic storage case

#### **CAN OBDII Diagnostic Scan Tool**



#### 2011065

Works with MOST 1996 and later models, including American, European and Asian vehicles.

Supports all OBD2 protocols including the newer (CAN) Controller Area Network.

Reads your (DTC) Diagnostic Trouble Codes for identification. Turns off check engine light (MIL)

Erases (DTC) trouble codes and resets the OBD2 system. Includes a user manual with the most current trouble codes.

#### **Infrared Thermometer**



**2011067**Distance spot to ratio 12:1

Accuracy +/- 1.5% Emissivity 0.95 Fixed

\*Temperature range from -58 to 1022 degrees F and -50 to 500 C Great for home, auto and industrial use to check temperature of heater vents, air conditioners, engines, mufflers, tires, brakes, leaks around windows or doors and more Requires 9V battery (included)

#### **Deluxe Compression Tester Kit**



#### 2011070

Deluxe compression tester for gas engines.
2-1/2" 300psi gauge with quick disconnect ends.
5 threaded adapters to cover most gas engines
Includes: 10mm, 12mm, 14mm, 16mm, and 18mm threaded adapters.
Includes the hard to find 16mm x 1.5 adapter.
Blow molded fitted storage case

#### **Automotive Stethoscope**



#### 2011066

Super sensitive.

Helps identify noises in automotive assemblies including engine, transmission, rear axle, transfer case, valve train, etc.

#### 11" probe tip extends into confined areas.

## Hand Held Vacuum Pump



#### 2011069

This brass chamber brake bleeder kit makes brake service a one-person operation.

Gauge: 0-30 inches of mercury (in Hg), 0-760 torr Durable Brass Hand Pump with gauge and bleed off valve Test automotive vacuum systems with numerous adapters and hoses

#### Leakdown Test Kit



#### 2011071

Quickly diagnoses internal engine problems like bad rings, valves and leaking head gaskets Dual 2-1/2 inch gauges have chrome bezels and rugged protective outer boots Compression guage reads 0-140psi and 0-10 bar. Leakage gauge reads 0-100 percent Pressure regulated manifold, with quick couplers, 24 inch long 14mm flex hose Also includes 10mm, 12mm and 18mm thread adapters for most gas engine applications

#### **Diesel Compression Test Kit**



#### 2011072

0-1000psi gauge

Includes adapters for popular Asian, European and Domestic cars and trucks

Tests compression through both glow plug and injector holes

#### A/C Manifold Test Kit



#### 2011074

50" Long hose length High quality brass fittings 0-120psi low side. 0-500psi high side

#### 1/2" Drive Torque Angle Gauge



#### 2011076

The gauge can measure up to 360 degrees in 2 degrees increments and 10 degrees apart.

eye-catching lines are easy to identify and ensure correct tightening. easy to zero through the turning tool housing for future use.

Fits 1/2" Dr. tools such as ratchet / torsion wrench / power bar etc.

#### **Cooling System Pressure Test**



#### 2011073

Detects Internal Engine Leaks Caused by Blown Head Gaskets And/Or Cracked Block Or Heads

Quickly Reveals External Cooling System Leaks
Kit Includes High Quality Hand Pump And 12 Adapters To Fit The
Most Popular Domestic & Import Cars & Light Trucks

#### 1/2" Drive Wheel Protector Extra Thin Wall Impact Socket Set



3pcs 1/2" drive sockets in sizes: 17mm (blue), 19mm (yellow) and 21mm (red).

Made of chrome moly steel for strength.

#### **7pcs Auto Body Repair Kit**



#### 2011077

For pounding auto sheet metal before finishing. Use on flat and curved surfaces.

Set includes heavy shrinking hammer, pick and finish hammer, straight pein finishing hammer, heal dolly, utility dolly, double end dolly, and curved dolly.



#### **4pcs Steel Scraper Set**



#### 2011078

Material: Carbon steel +PP handle. Width: 50/75/100/150(mm) Length: 100mm Thickness: 0.3mm

#### **Disc Brake Pad Spreader**



#### 2011080

Compresses inner pad and resets piston for easy pad replacement. Makes changing pads an easy job.

#### 3/8" Dr Disc Brake Piston Tool



#### 2011082

For use on most popular import, Chrysler, Ford and GM vehicles with 4 wheel disc brakes.

Removes and installs disc brake pistons.

Re-aligns piston slots (where applicable) to back of brake pad. Rotates piston back into caliper.

For use with 3/8" dr. ratchet extension.

#### **5 Gallon Tire Bead Seater**



#### 2011079

5 Gallon Tire Bead Seater Inflator Heavy duty ball valve on both air inlet and exhaust port. Designed to seat tires on the bead of wheel simply, safe, and fast. Works on tires up to 24.5 inches

#### **Disc Brake Caliper Service Set**



#### 2011081

For use on most import and domestic vehicles equipped with disc brakes.

Bilingual Instructions.

Replacement part availability.

#### 4.5" Suction Cup/Dent Puller



#### 2011083

Durable high-impact nylon body Quick release handle Use to pull dents out of car bodies or lift plate glass 80 lb. capacity

#### **Aluminum Suction Cup**



#### 2011084

Durable aluminum handles and housing
Wide variety of applications including: Pulling dents, moving smooth
flat object, such as the glass, tiles, mirror, floors, and granite
110 lb. maximum lifting capacity

Easily pops out shallow dents without drilling holes

#### Triple Suction Cup Lifter



#### 2011086

Capable of removing dents from many vehicle surfaces. Lightweight and compact design, with easy-to-grip handles for easily lifting and carrying. Suitable for glass, tiles, vehicle surfaces. Suction ability: 100kg

#### **Brake Spring Pliers**



#### 2011088

Use to remove and install shoe return springs on most drum brakes. Socket end removes spring from anchor stud and notched end installs spring on anchor.

#### Chrome plated to resist rust and provides easy clean up.

#### **Double Head Suction Lifter**



#### 2011085

This double head suction lifter With strong absorb ability, it can easily pull or lift things.

Capable of removing dents from many vehicle surfaces. Lightweight and compact design, with easy-to-grip handles for easily lifting and carrying. Suitable for glass, tiles, vehicle surfaces. Suction ability: 70kg

#### **2pcs Strut Spring Compressor**



#### 2011087

**Durable Construction:** 

Designed to withstand extreme pressure day after day in any environment.

Easy to Use

Perfect tool for the DIYer or the professional mechanics.

#### **5pcs Car Trim Removal Kit**



#### 2011089

5pcs set for a wide range of trim and vehicles Specially manufactured for interior and exterior automotive trim pieces Removes trims safely without damaging or marking

#### **4pcs Nylon Pry Bar Installer Kit**



#### 2011090

Great for installation & removal of trim Strong material won't scratch or gouge your interor Includes straight, wedge, offset v-notch, straight v-notch Size: 6" long

#### 10 in 1 Trim Tool



#### 2011092

For panel seam cleanup. Molding removal. Wiper mounts. Door trim installation. Weather strip clip removal. Trim pad removal. Handle clip removal.
Headlight springs.
Windshield molding clip release.
Door clip removal.
Comfort grip handle.


#### 5pcs Pick and Hook set



#### 2011094

1pc Scraper 260mm 3pcs Hooks 260mm 1pc Pick 260mm

#### **6pcs Non-Marring Trim Tool Set**



#### 2011091

Multi-wedge pry tools are designed to gently remove door panels, dashboards, consoles, and more.

Works well to remove trim molding, bezels, and various clips and plastic fastens.

Features different wedge shapes allowing you to get under and lift pieces away without damage.

#### **4pcs Pry Bar Sets**



#### 2011093

1pc car door opener 1pc hook 2 pcs Fastener Removers Perfect Tools for Professional Person

#### **4pcs Hose Remover Set**



#### 2011095

Use to remove hoses, moldings, clips, clamps, seals, O-rings, cotter pins, gaskets, and more.

Formed tips fit easily between hose and fitting to break stubborn hoses loose.

Includes long and short shafts 8 to 13 inches with standard and offset hooks.

Tri lobular grips provides exceptional pulling and twisting force. Shafts are heat-treated for strength, and plated for durability.

#### 4pcs Hook and Pick Set



#### 2011096

Use to remove hoses, moldings, clips, clamps, seals, O-rings, cotter pins, gaskets, and more.

Formed tips fit easily between hose and fitting to break stubborn hoses loose.

Shafts are heat-treated for strength, and plated for durability.

#### **8pcs Mini Pick And Hook Set**



#### 2011098

4pcs Spoon-like hooks
1pc Hook with straight tip
1pc Hook with angled tip (90°)
1pc Hook with curved tip
1pc Hook as piercing awl
Package Size: 285\*140\*30mm
Weight: 0.38kgs

#### **Universal Offset Brake Spoon**



#### 2011100

Angled blades for confined areas.

Adjusts star adjuster and screw adjuster type brakes quickly and easily.

Drop forged steel.

Chrome plated to resist corrosion.

#### **8pcs Mini Pick And Hook Set**



#### 2011097

Chrome vanadium steel shafts with magnetic tips High visibility PVC handles Contains 1 x 45° Offset Hook 1 x 90° Hook

1 x Full Hook 1 x Straight Pick

1 x 3mm Slotted Screwdriver 1 x PH0 Phillips Screwdriver 1 x T15 Torx Screwdriver 1 x T20 Torx Screwdriver

Stretch Belt Remover / Installer Tool

#### 1 X 1 13 101X GGIEWalivel 1 X 120 101X GGIEWalivel



Type: Drive Belts Remover Applications: Car Repair Modification Features: Drive Belts Remover, Automobile, Removal Installer, Disassembly, Car Repair Modification, Auto Parts Size: app.4.2x2.2cm/1.65x0.86in

#### Seal Puller 320mm



#### 2011101

Remove seals without causing surface damage double-ended hook design Size: 320mm



#### High Energy Ignition Tester



#### 2011102

Checks for spark in no Start condition.
Tests standard, electronic or DIS KV systems.
Designed to prevent high energy sparks arching directly to any ground.

#### **Voltage Continuity and Current Tester**



#### 2011104

Heavy duty test lead with spring clip
Tests 6, 12 and 24 volt AC and DC circuits
Reinforcing spring prevents damage to test lead at base of handle

#### **Inspection Camera 10FT. Cable Extension**



**2011106** Size: 10ft

Provides greater reach and access for remote visual inspection of confined spaces.

To install: disconnect existing camera tube assembly from your inspection camera. Attach male threaded end f extension to camera. Then attach the camera tube assembly to the other end.

#### **Voltage Continuity and Current Tester**



#### 2011103

Large LCD display provides a voltage value of the circuit tested. Surge protected circuitry displays DC Voltage from 3 to 48v Backlit LED glows red for power and green for ground. Computer safe <10mA circuit draw for confident testing. Recoil lead wire stretches safely from 3 to 12 feet. Durable storage case for tool protection The professional technicians can detect voltage, power, ground and circuit integrity with increased accuracy and ease. LED indicates red for "power" or green for "ground" from 3v to 48v.

Ideally used to detect power, voltage, ground, and circuit integrity.

#### 2.4" LCD Inspection Camera



2.4" color LCD monitor with 320 x 240 VGA resolution and 180 deg. Submersible 11/32" (9mm) diameter camera with 640 x 480 resolution 4 white LEDs with 6 output levels

40" (1m) flexible neck

TV/video output jack

Useful for inspecting engine compartment, valves, A/C vents, plumbing pipes, under or around furniture & appliances, home theater installations, cable routing, pest control & machinery Includes mirror, hook clip, magnet and video cable Requires 4AA batteries (included)

#### **4pcs Heavy Duty Pry Bar Set**



#### 2011107

4pcs pry bar set size - 8" 12" 18" and 24"
Pry bar Non-slip Handles offers a comfortable and nonslip grip,
Hardened And Tempered for strength and durability
Lifetime warranty

#### **5L Metal Fuel Can**



#### 2010201

Wall thickness: 0.6mm Net weight: 1.24kg Single size: 24x11.5x31cm Material: DC04 cold plate Surface treatment: sprayed

#### 20L Metal Fuel Can



#### 2010203

Wall thickness: 0.6mm/ 0.8mm Net weight: 1.9kg/2.3kg Single size: 29x12.5x40cm Material: DC04 cold plate Surface treatment: sprayed

#### **7L Oil Drain Pan**



#### 2010205

Item Weight 0.24kgs Product Dimensions 38 x 37 x 10 cm Included Components: 7L Oil Drain Pan

#### 10L Metal Fuel Can



#### 2010202

Wall thickness: 0.6mm/ 0.8mm Net weight: 1.9kg/2.3kg Single size: 29x12.5x40cm Material: DC04 cold plate Surface treatment: sprayed

#### Fuel Can Spout



#### 2010204

Wall thickness: 0.65mm Net weight: 0.26kg Surface treatment: sprayed.

#### 15L Plastic Oil Drain Pan



#### 2010206

Item Weight 1.2kgs Product Dimensions 57 x 45 x 17 cm Included Components: 15L Oil Drain Pan



#### **Black Longneck Oil Funnel**



#### 2010207

Basic Oil Funnel - Engine, Fluids, Gasoline, Liquids, Kerosene Funnel with Flexible Spout Extension 7-1/2 in. funnel with removable 8 in. flexible extension

#### Metal Funnel w/12" Flex Spout



#### 2010209

6 diameter funnel with 12 spout Zinc plated

#### **Multi Use Transfer Pump**



#### 2010211

Quickly and easily transfer any fluid. Can be used as an air pump. Inflation needle not included. 2pcs 3/8 in. ID X 52 in. long hoses

#### 18" Funnel



#### 2010208

Size: 18" Great for dispensing petroleum based fluids and much more. Extra long next prevents spills. Easy to use

#### **Fluid Transfer Pump**



#### 2010210

Fits all standard gallon bottles. "Quick Fit" nozzle. Each pump dispenses 1 oz of fluid. Convenient and versatile for hard to reach places. Eliminate mess and waste.

#### **Deluxe Rubber Siphon Hose**



#### 2010212

All purpose. Oil and gas resistant. Deluxe model.

#### **Rotary Barrel Pump**



#### 2010213

For transferring non corrosive petroleum based fluids of light to medium viscosity. For industrial, commercial, automotive and agricultural applications. Single direction 2 vane pump with rugged cast

iron housing and 42" steel suction pipe. Low viscosity material transfer - 1 gallon with every 12 full revolutions

#### 1/4 Pint Pump Oiler



#### 2010215

2010217

Rigid Hose.

Size: 6 oz.

Drawn steel body.

Durable epoxy finish.

Flexible spout. Precision steel pump. Convenient sizes. Size: 1/4 Pint

#### 6oz Pistol Oiler w/Rigid Hose



#### Blue Gen. Purp. Lever Action



#### 2010214

Fits 5 gallon to 55 gallon drums. Ideal for fuel, water based and acidic solutions. 9 oz. per 1 stroke.

#### 3/4 Pint Pump Oiler



#### 2010216

Flexible spout. Brass pump. Convenient sizes. Size: 3/4 Pint

#### 6oz Pistol Oiler w/ Flex Hose



Size: 6 oz.

#### **Pvc Car Mats**



#### 2010301

F:70\*44.5cm R:44\*42cm Material:100% PVC Weight:3.5kgs/set 4pcs/set

#### **Pvc Car Mats**



#### 2010303

F:67\*45.5cm R:40.5\*33cm Material:100% PVC Weight:3kgs/set 4pcs/set

#### **Pvc Car Mats**



#### 2010305

F:67.5\*45cm R:39.5\*41cm Material:100% PVC Weight:3.41kgs/set 4pcs/set

#### **Pvc Car Mats**



#### 2010302

F:69\*45cm R:45\*35.5cm Material:100% PVC Weight:3.5kgs/set 4pcs/set

#### **Pvc Car Mats**



#### 2010304

F:67\*44.5cm R:42\*38cm Material:100% PVC Weight:3.9kgs/set 4pcs/set

#### **Pvc Car Mats**



#### 2010306

F:64\*43cm R:42.5\*36cm Material:100% PVC Weight:1.55kgs/set 4pcs/set

#### **Pvc Car Mats**



#### 2010307

F:63\*43cm R:43\*33cm Material:100% PVC Weight:1kgs/set 4pcs/set

#### **Carpet Car Mats**



#### 2010309

F:65\*44cm R:44\*33cm Material:50% PVC +50% polyester Weight:1.52kgs/set 4pcs/set

#### **Trunk Mats**



#### 2010311

Size:118\*82.5cm Material:100% PVC Weight:1.5kgs/pc

## **Carpet Car Mats**



#### 2010308

F:65\*44cm R:44\*33cm Material:70% PVC +30% polyester Weight:1.96kgs/set 4pcs/set

#### **Carpet Car Mats**



#### 2010310

F:66.5\*43.5cm R:39.5\*28.5cm Material:50% PVC +50% polyester Weight:1.78kgs/set 4pcs/set

#### **Trunk Mats**



2010312

Size:120\*80cm Material:100% PVC Weight:2kgs/pc



#### Steering Wheel Cover



2010321

Size: 38x8.2cm Color: Black

Made of PU for surface and PVC for inner



#### 2010322

Size: 38x8.2cm Color: Beige

Made of PU for surface and PVC for inner

#### **Steering Wheel Cover**



#### 2010323

Size: 38x8.2cm Color: Grey and brown spliced

Made of PU for surface and PVC for inner

#### **Steering Wheel Cover**



#### 2010325

Size: 38x8.2cm Color: Black and red

Made of PU for surface and PVC for inner

#### **Steering Wheel Cover**



#### **Steering Wheel Cover**



#### 2010324

Size: 38x8.2cm Color: Black and red

Made of PU for surface and PVC for inner

#### **Steering Wheel Cover**



#### 2010326

Size: 38x8.2cm

Color: Grey with white line

Made of PU for surface and PVC for inner

#### **4pcs Car Seat Cover**



## **4pcs Car Seat Cover**



#### 2010316

Front set seat cover

Matreial: Perforated PVC & Carbob PVC w/3mm foam

Back material: Polyester w/o foam

Specification:

4pcs / set:

2 Headrest: 27×30cm

2 Front cover 114×50cm

## **4pcs Car Seat Cover**



#### 2010318

Front set seat cover

Matreial: Transfer-printing Polyester w/3mm foam

Back material: Polyester w/o foam

Specification:

4pcs / set:

2 Headrest: 27x30cm

2 Front cover 114x50cm

#### 2010317

Front set seat cover

Matreial: Transfer-printing Polyester w/3mm foam

Back material: Polyester w/o foam

Specification:

4pcs / set:

2 Headrest: 27x30cm 2 Front cover 114x50cm

## **7pcs Car Seat Cover**



#### 2010319

Matreial: Polyester w/3mm foam

Back material: Polyester w/o foam With airbag compatible

3 zippers on rear back

Specification:

7pcs / set:

3 Headrest: 27x30cm

2 Front cover 133.5x50cm

1Rear back: 69x138cm

1Rear seat: 49x138cm



#### **9pcs Car Seat Cover**



#### 2010320

Matreial: Polyester w/3mm foam

Back material: Polyester w/o foam With airbag compatible

3 zippers on rear back

Specification:

9pcs / set:

5 Headrest: 27x30cm

2 Front cover 114x50cm

1Rear back: 69x138cm 1Rear seat: 49x138cm

#### **9pcs Car Seat Cover**



#### 2010328

Matreial: Transfer-printing Polyester w/3mm foam

Back material: Polyester w/o foam With airbag compatible

3 zippers on rear back

Specification:

9pcs / set:

5 Headrest: 27x30cm

2 Front cover 114x50cm

1Rear back: 69x138cm

1Rear seat: 49x138cm

#### **9pcs Car Seat Cover**



#### 2010327

Matreial: Polyester w/3mm foam

Back material: Polyester w/o foam With airbag compatible

3 zippers on rear back

Specification:

9pcs / set:

5 Headrest: 27x30cm

2 Front cover 114x50cm

1Rear back: 69x138cm 1Rear seat: 49x138cm

#### 7pcs Car Seat Cover



#### 2010329

Matreial: Transfer-printing Polyester w/3mm foam

Back material: Polyester w/o foam With airbag compatible

3 zippers on rear back

Specification:

7pcs / set:

3 Headrest: 27x30cm

2 Front cover 133.5x50cm

1Rear back: 69x138cm 1Rear seat: 49x138cm

#### **4pcs Car Seat Cover**



#### 2010313

Front set seat cover

Matreial: Polyester & Mesh w/3mm foam Back material: Polyester w/o foam

4pcs / set:

2 Headrest: 27x30cm

2 Front cover: 114x50cm

#### **4pcs Car Seat Cover**



Front set seat cover

Matreial: OEM Jacquard & PVC w/3mm foam

Back material: Polyester w/o foam

4pcs / set:

2 Headrest: 27×30CM

2 Front cover 114×50CM

#### **Microfiber Car Window Cleaning Tool**



#### 2010395

Clean car window interiors and exteriors The windshield cleaner is designed with the Extra Long extension handle and pivoting head getting to those hard-to-reach car window bases is simple

#### **4pcs Car Seat Cover**



Front set seat cover

Matreial: Twill &Mesh & Carbob PVC w/3mm foam

Back material: Polyester w/o foam

4pcs / set:

2 Headrest: 27x30cm

2 Front cover 114x50cm

#### Sill and Bumper Brush



#### 2010394

Size: 50×7.5×7.5cm Material: PP+PET

For motor, vehicle bumpers, sills and all other hard to reach places Designed for cleaning sills, front aprons and wheels

#### **Microfiber Car Window Cleaning Tool**



#### 2010396

Size: 38.5x13.5cm

Clean car window interiors and exteriors

The windshield cleaner is designed with the Extra Long extension handle and pivoting head getting to those

hard-to-reach car window bases is simple



#### **Snow Brush with Ice Scraper**



#### 2010353

Extra wide 8.5" brush head for heavy snow clearing Rubber squeegee removes excess moisture Extends from 30" to 48" for longer reach Contoured foam grip for comfort and control

#### Window Cleaner Squeegee and Sponge Tool



#### 2010355

The Stainless steel extension pole can be unlimited lengthened for high window

Both sides of sponge squeegee can be used.

Soft material, Will not damage your car, mirror and door surface The sponge squeegee are removable and convenient for storage. Used with clean water, white vinegar, soapy water, window cleaning soap, window cleaner or other detergents for large area cleaning.

#### **Car Windshield Cleaner and Ice Scraper**



#### 2010357

Microfiber car Window Cleaner with Reusable Microfiber Pads and Extendable Handle and with ice craper

#### 38" Crossover Super Duty Snowbroom



#### 2010354

38" curved pole makes scraping ice from the windshield easier Pivoting brush head sweeps and pushes snow

Wide blade clears off frost quickly

Aggressive ice chippers break up the thickest ice Added leverage positions allow application of more pressure to the blade

#### Ice Scraper for Windshield



#### 2010356

Extra wide 8.5" brush head for heavy snow clearing Rubber squeegee removes excess moisture Extends from 30" to 48" for longer reach Contoured foam grip for comfort and control Colors may vary from either red or blue

#### 23" Ice Hammer Snowbrush and Ice Scraper



#### 2010358

Unique design allows for longer reach Soft-molded grip repels water and withstands UV rays for longer life Ice chippers are built into the side of the blade to break up tough ice Wide blade quickly clears frost Assorted colors

#### **Microfiber Wash Mitt**



#### 2010382

Size: 27×18cm Absorbent microfiber Soft & Scratch free

#### **Microfiber Cleaning Cloth**



#### 2010384

Size: 40×40cm Material: 80% Polyester + 20% Polyamid

300gsm, Blue 220gsm, Orange 235gsm, Black 200gsm, White

#### **Detailing Towel**



#### 2010386

Material: 80% Polyester + 20% Polyamid 250 gsm Size: 38×38cm

#### **Microfiber Wash Mitt**



#### 2010383

Size: 26.5×17cm Super absorbent For a fast wash Microfiber allows you

Microfiber allows you to gently wash the car without scratching the paint

#### 2-in-1 Car Towel



#### 2010385

Size: 40×45cm Material: 80% Polyester + 20% Polyamid, 420gsm One face-Mesh Material Another face-Super soft microfiber

#### **3pcs Cleaning Towels**



#### 2010387

Us for cleaning, drying and polishing Made of microfiber, absorbent, non-abrasive, soft enough to protect your machine when cleaning Size: 30x40cm



#### Microfiber Fog-Ball



#### 2010388

Size: 12.5x12.5cm Weight: 50g

Designed to handle all glass, mirror, and optical cleaning jobs For washing, drying, dusting and polishing

#### **Microfiber Chenille Sponge**



#### 2010390

Lint-free and high absorbency.
Carry more water and suds for a more efficient and higher quality result.

Higher density sponge makes it easy and effective to scrub off dirt and grime.

Will not scratch even delicate surfaces.

#### Microfiber Wash Sponge



#### 2010392

Size: 23×10.2×6.4cm
Can be used wet or dry as a dust remover Large, absorbent microfiber sponge Inside stitched to reduce edges
Retains shape after many washes
100% lint-free

#### **Car Wash Glaves**



#### 2010389

5-finger chenille wash mitt design helps you get in tough to Reach and clean areas, easily rinses clean between each wheel Material: Microfiber Size: 29x27cm

#### **Mesh Microfiber Bug Sponge**



#### 2010391

Size: 15.5×9×4.2cm Unique microfiber mesh safely removes stubborn debris from glass and paint High density sponge holds plenty of car wash solution

#### **Microfiber Wash Sponge**



#### 2010393

Size: 23×10.2×6.4cm Absorbent covering to trap dirt and grime Scrubber material on sides to maximize cleaning

#### **Car Top Cover**



#### 2010341

Customizable size Material:polyester+PU coating Waterproof/snowproof/UVproof

#### **Car Full Cover**



#### 2010343

Customizable size Material:non-woven fabric Waterproof/snowproof/UVproof

#### **Hail Protection Cover**



#### 2010345

Customizable size
Material:5 mm EVA foam (Ethylene Vinyl Acetate) (5mm),
Side elements with interior coating made from polyester 150D,
With elasticted cord, Water-repellent, temperature resistant

#### **Car Top Cover**



#### 2010342

Customizable size Material:polyester+PU coating Waterproof/snowproof/UVproof

#### **Car Full Cover**



#### 2010344

Customizable size Material:polyester+PU coating Waterproof/snowproof/UVproof

#### **Pickup Full Cover**



#### 2010346

Material: silver 170T polyester Size: S-XXL or customized



#### **Steering Wheel Lock**



#### 2010331

Material: Alloy Steel Finish Type Powder Coated Item Dimensions LxWxH 25.9 x 4.5 x 1.8 inches

#### **Auto Front Window Sun Shade**



#### 2010334

Size:128\*60cm
Effectively Blocks UV, Sun And Summer Heat.
Can Be Installed Vertically Or Horizontally
To Achieve The Perfect Fit.
Offers Over 99% UV Protection And Sun Reflection.
Can Be Installed And Removed Within Seconds.
Prevents Dashboard Fade And Cracks.

#### **Car Sun Shades for Side Window**



2010336

Material: Nylon Mesh Item Dimensions 65\*40cm Closure Type Snap

#### Retractable Windshield Sun Shade for Car Back Window



#### 2010333

Color: Black Material: Polyester Size Unfolded:107\*50cm Closure Type: Roll Up

#### **Car Sun Shades for Rear Window**



#### 2010335

Material: Nylon Mesh Item Dimensions 37\*37cm Closure Type Snap

#### **Car Seat Organizer**



#### 2010332

Material: Oxford Size: 44x67cm

#### **Car Seat Organizer**



# 2010337 Material: Oxford

6 Storage Pockets are offered to keep Kids' snack, drink, toy, book, Tablet, Pens, Dolls, Diapers, Napkin, etc. The Backseat organizer can be installed quickly with its adjustable straps

#### Car Mesh Organizer



#### 2010339

This Car Net Barrier keeps your dogs and kids safely sitting in the back seat. No more worry about them breaking into the front seat while driving. Avoid pets lying on the center console, protecting the shiny leather center console and avoiding scratches or potential tear.

#### **Car Travel Table**



#### 2010341

This Multipurpose Hook On Steering Wheel Tray is the perfect car accessory to have in your car for a quick snack or breakfast or to get to a small office while traveling.

#### **Car Seat Organizer**



#### 2010338

Material: Oxford

A back seat cleaning station for trash, tissues, bottles and disinfectant wipes

Bottom compartment holds a standard size facial tissue box

#### **Cargo Net Trunk Organizer**



#### 2010340

Trunk cargo net is suitable for most of rear trunk.

The cargo net trunk organizer can create extra storage space for any car with its stretching capability of 12" tall and 33" wide. Premium mesh material withstands wear and tear Easy installation with all mounting hardware included.

#### **Condiment Dipping Clip**



#### 2010342

Fits most vents
Easy to eat in your car
Lock & rotates into different positions



#### **Cup Holder**



#### 2010343

Material: PP

Devoted to designing a portable with high performance bottle cup holder for car convenient use.

#### **Car Seat Gap Storage Box**



#### 2010345

Size:260x75x165mm Material: PP Suitable for most cars: no need complex installation, slide between seat pocket and console until you find a nice cozy spot

#### **Multi-functional Gap Filler**



#### 2010347

Size:250x120x165mm Material: PP

The cup holder can be installed in the gap of the seat to increase the storage space in the car and make the interior space tidier. Suitable for various car models.

## Car Seat Seam Wedge Cup Holder



#### 2010344

Size: 277x102x208mm Material: PP

This cup fits most beverage sizes and has center storage, meeting different needs.

The seat wedge cup holder makes it perfect for use in any car.

#### Multifunctional Seat Seam Gap Organizer



#### 2010346

Size:260x120x160mm Material: PP

The cup holder can be installed in the gap of the seat to increase the storage space in the car and make the interior space tidier. Suitable for various car models.

#### All Purpose Cup Holder and Organizer



#### 2010348

Size:177x150x110mm Material: PP

It comes with dual folding cup holders that can place drink. Adjustable elastic design, easy to install, can be directly tied to the armrest box for use.

#### Car Seat Gap Organizer



#### 2010349

Size: 350x50x105mm Material: PP

Get extra storage space for keys, cards, money, chargers, cell phones and remotes between car seat gaps, preventing small items from falling into the seat gap.

Simply slide the car seat storage box between your seat and console, adjust it to a safe position.

#### **Car Trunk Organizer with Cooler Bag**



#### 2010351

Size: 58x36x38cm Material: waterproof oxford cloth The cargo trunk storage come with cooler bag, High-density insulation material and soft the aluminum foil foam lining of the insulated cooler bag to keep your drinks chilled and keep your food warm for the entire ride

#### **Hose & Cord Carry Strap**



#### 2010353

Holds extension cords, air hoses, water hoses or cables up to 3" in diameter Adjustable to two different sizes Easy to carry handle with built hang hole Great for easy carry or organizing

#### **Car Trunk Organizer**



#### 2010350

Size: 54x34x32cm Material: oxford polyester fabric It has 2 compartments and sidewalls with removable divider can be resized to fit large or small vehicle spaces and conveniently folds away when not in use.

#### Tarp



#### 2010352

Water, mildew and tear resistant Double water proof surfaces

Double reinforced corners

**Jumbo Carabiner** 

Rope sewn in along edges for added strength

Cut Size: 8' x 10'

#### Actual finished size: 7'6" x 9'6"



#### 2010354

Great for Carrying Extension Cords, Power Tools, Shopping Bags, Buckets and Sporting Equipment Ergonomic Soft Grip Handle Lightweight Aluminum Construction Hundreds of Uses Not for Climbing

Maximum weight limit 100 lbs. (45 Kg)



#### 75" Stretch Hose & Carry Holder



#### 2010355

Length when no in use: 25" Expanded length:75" Features water reel TPE internal tube Aluminum valve (Nozzle not included)

#### **Car Phone Holder**



#### 2010361

3.2 inch suction cups 8pcs Power magnets adsorb your phone

#### **Car Phone Holder**



#### 2010363

360° free rotation Fits All Phones Between 4.0"-7.0" Two interfaces are available

#### Ice Scraper for Windshield



#### 2010356

Stay Safe in the Cold Winter Months with our Motor Trend Compact Ice Scraper

Great for Removing Frost, Snow, and Breaking up Ice on your Car Windshield

Keep it in your Trunk for Convenient Use on the Go - Add it to Your Winter Car Survival Kit to be Prepared and Protected from Snowstorms, Blizzards, and other Emergencies Great for Cars, Trucks and Perfect for Use in the Backyard, Home, Outdoor / Camping Trips, and Around the House

#### **Car Phone Holder**



#### 2010362

360° free rotation 3M Adhesion pad

Feature: Flexible and small, paste everywhere

#### Car Phone Holder



#### 2010364

360° free rotation Fits All Phones Between 4.0"-7.0" Car air conditioning air outlet installation

#### 2" Blind Spot Mirror Set of 2 Pieces



#### 2010365

Adhesive tape installation 360 degrees rotation

Dia.:50mm

#### **Reflective Road Safety Triangle**



#### 2010371

For warning other road users of a potential hazard Material: PMMA+ABS+PU Size: 43x43x43cm Weight: 620g

#### **3pcs Reflective Road Safety Triangle Set**



#### 2010378

For warning other road users of a potential hazard Material: GPPS+HIPS+SAND Certificate: DOT Size: 43x43x43cm Weight: 560g

#### **Endoscope**



Size: 18.5x6cm Material: ABS Suction cup fixed and adjustable

2010366

#### **Reflective Road Safety Triangle**



#### 2010377

For warning other road users of a potential hazard Material: GPPS + HIPS + IRON Certificate: E-Mark, CE Size: 43x43x43cm Weight: 560g

#### **Reflective Road Safety Triangle**



#### 2010379

For warning other road users of a potential hazard Material: PMMA+ABS+PVC Certificate: E-Mark Size: 43x43x43cm Weight: 560g

#### **Reflective Road Safety Triangle**



#### 2010380

For warning other road users of a potential hazard Material: GPPS+HIPS+PVC Size: 43x43x43cm Weight: 390g

#### **Emergency Auto Safety Tool**



#### 2010373

Seat belt cutter to quickly exit vehicle
Bright LED flashlight and 9 flashing red LED lights to alert others
Glass breaker for emergency escapes
Magnetic base sticks to any steel surface.
Powered by 2-AA batteries(not included)

#### 2" x 16' Blk/Yellow Grip Tape




#### 2010375

Textured anti-slip surface provide added safety for otherwise slippery areas.

Peel away adhesive backing for easy application and non-resists water vapor, mild acids, gases, oils, alcohols and UV other liquids.

#### 2 Pack Portable Vehicle Recovery & Emergency Traction Mat



#### 2010372

Place in front or behind tires for traction Designed to hold in place, won't fly out Works in snow, mud, and sand 2 traction tools included in each package Easily stores in trunk

#### **Reflective Tape**



#### 2010374

Size: 2" width x 164 feet length Provides excellent visibility from all angles both day and night for increased safety.

Helps reduce damage and accidents by making potential hazards Complies with Federak Motor Vehicle Safety Standard 108, E exceeds NHTSA requirements and it certified DOT-c2

#### 2" x 16' Black Grip Tape



#### 2010376

Textured anti-slip surface provide added safety for otherwise slippery areas.

Peel away adhesive backing for easy application and non-resists water vapor, mild acids, gases, oils, alcohols and UV other liquids.

#### **Floor Pump**



#### 2010501

Floor Pump Max pressure: 11bar Tube: φ32x460mm Suitable for all valves

## **2010502** Floor Pump

**Floor Pump** 

Floor Pump

Floor Pump Max pressure: 11bar Tube: φ32x540mm Suitable for all valves



#### **Floor Pump**



#### 2010503

Floor Pump Max pressure: 11bar Tube: φ32x500mm Suitable for all valves

#### 2010504

Floor Pump Max pressure: 11bar Tube: φ38x520mm Suitable for all valves



#### Floor Pump



**Bike Pumps, Foot and Hand Operated** 

#### 2010505

Foot and Hand Operated with pressre gauge Size:32x500mm Max pressure: 690KPa



#### 2010506

Foot Pump Single cylinder: φ54x120mm Max pressure: 100psi



#### 2pk 1" x 15' Tie Down Straps



#### 2010701

15-Foot long by 1-Inch wide polyester webbing 300 Lbs. load limit, 900 Lbs. break strength Ratcheting mechanism tightens with vise-like gripping power Vinyl coated steel hooks Light duty, red, single unit

#### 2" x 30' Tow Strap w/ Hooks



#### 2010702

30-Foot Long by 2-Inch wide (50mm x 914cm) polyester webbing 3330 Lb. load limit, 10,000 Lb. break strength Rust resistant zinc plated forged hooks with latches Super strong, flexible webbing with reflective safety striping Intended for vehicle recovery purposes only not for prolonged towing Super duty, yellow, single unit, bulk in display

## 21" EPDM Rubber Tarp Strap



#### 2010703

Weather resistant EPDM material will not rot or lose elasticity after continuous exposure to the elements Versatile tarp strap for a variety of applications Zinc plated steel S-hooks 21-Inch long strap, black, single unit

#### **4pcs Ratchet Tie Down Strap**



#### 2010704

Tie down: 25mm\*5m Working Capacity: 250kgs Breaking Capacity: 750kgs

#### **2pcs Easy Lock Tie Down**



#### 2010705

Tie down: 25mm\*2.5m Working Capacity:60kgs

#### **30pcs Assortment of Bungee Cords**



#### 2010706

6pcs 18 inch blue 4pcs 24 inch red 2pcs 32 inch green 2pcs 40 inch yellow 6pcs 10 inch black mini cords 6pcs 8 inch orange ball ties for canopy and tarp 4pcs tarp clips

## **24pcs Assortment of Bungee Cords**



#### 2010707

6pcs 18 inch blue 4pcs 24 inch red 2pcs 32 inch green 2pcs 40 inch yellow 6pcs 10 inch black mini cords 4pcs 8 inch black ball ties

#### 12pcs Assortment of Bungee Cords



#### 2010708

4pcs 10" x 5/32" black 2pcs 18" x 5/16" blue 4pcs 24" x 5/16" red 2pcs 30" x 5/16" yellow

#### **30pcs Assortment of Bungee Cords**



#### 2010710

6pcs 18 inch blue, 4pcs 24 inch red, 2pcs 32 inch green, 2pcs 40 inch yellow; 6pcs 10 inch black mini cords

4pcs 8 inch orange ball ties 4pcs tarp clips

1pc 38\*38cm net 1pc PVC bag

#### **8pcs Assortment of Bungee Cords**



#### 2010709

2pcs 8mm x 40cm purple 2pcs 8mm x 60cm green 2pcs 8mm x 80cm yellow 2pcs 8mm x 100cm blue

#### **34pcs Assortment of Bungee Cords**



#### 2010711

1pc PVC bag

6pcs 18 inch blue, 4pcs 24 inch red, 2pcs 32 inch green, 2pcs 40 inch yellow; 6pcs 10 inch black mini cords 6pcs 8 inch orange ball ties 2pcs 48 inch yellow and black flat ties. 4pcs tarp clips 1pc 38\*38cm net

#### **LED Work Light**



## 2010601

Lamp Beads: 1xCOB Brightness: 260 lumens

Function: Stepless dimming, 360° rotation, 180° folding, 360° rotation at the bottom, strong magnet Size: 375x33x21mm; Weight: 145g Power Supply: 1500mAh lithium battery

Material: ABS

#### **LED Headlight**



7 White LED Headlight Function: 1led--3led--7led Material: ABS Product Size: 7.5x6.5x5.5cm Weight: 76g

#### **LED Headlight**



#### 2010605

1W white led+2red led headlight

Function: 1W led on strong→weak→2 red led on →flash(sos) Material: Plastic

Product Size: 60x40x35mm

Weight: 41g

#### **LED Headlight**



#### 2010602

3W COB LED clip cap light Function: full light→off Material: ABS Product Size: 11x7x4cm Weight: 40a Brightness: 200 lumens

#### **LED Headlight**



#### 2010604

1W + 2x3W COB LED Headlight Function: Middle light on-side light white-side light red-flash-off Material: ABS

Product Size: 60x45x60mm Weight: 56g Brightness: 90 lumen -160lumens

#### **LED Headlight**



#### 2010606

3W COB led headlight Function: full-half-flashing-off Material: Plastic Product Size: 60x40x35mm Weight: 41g Ingress Protection: IP44



# Lighting



#### **LED Headlight**



#### 2010607

10 white LED headlight
Function: 4LED→10LED→Flash
Material: ABS
Product Size: 69x40x44mm
Weight: 60q

Brightness: 25 lumens

#### LED headlight, Li-battery 1.2V 1800mAh



3W sensor LED Headlight

Function: 1.normal mode(high-middle-weak-flashing-sos)
2.sensor mode (press the button in 3 seconds the blue indicator will be on)

Materia: ABS

Product size: 65x50x45mm Weight:52/94g

#### **Adjustable Safety Glasses**



#### 2010621

Comfortable Molded Nose Bridge Adjustable Temple Length Meets High Impact Requirement of ANSI Z87.7-2003 UV resistant

#### **LED Headlight**



#### 2010608

3W COB headlight Material: ABS Function: High-Middle-flashing Product Size: 60x40x44mm Weight: 60g Brightness: 150 lumens

#### **LED Headlight**



#### 2010610

COB head lamp Function: Strong-weak-flash Material: ABS+PS Product Size: 62x34x42mm Weight: 19g

#### **Safety Goggles**



#### 2010622

Durable lightweight polycarbonate lens Fully adjustable elastic headband fits all sizes Designed to fit over personal eyewear Ventilated for complete comfort

# **MANUFACTURING COMPLEX**



厂房 FACTORY BUILDINGS

厂房 FACTORY BUILDINGS



办公楼 OFFICE BUILDING



生产流水线 PRODUCTION LINE