



SHALL®

潇潇公司

SHALL TOOLS CO.,LTD

Add: No. 9 Chunchao Road, Xiaoshan Economy & Technology Zone, Hangzhou Zhejiang China

Tel: 0086-571-82651930

Fax: 0086-571-82657190

E-mail: shall@shalltools.com

Website: www.shallgroup.com

POWER TOOLS

HAND TOOLS

PNEUMATIC TOOLS

TOOL SETS

AGRICULTURE TOOLS

WATER PUMPS

GENERATORS

POWER TOOL ACCESSORIES

FASTENERS & HARDWARE

TAPS & DIES

LADDERS

AUTOMOTIVE ACCESSORIES

2023-2024





ABOUT SHALL

SHALL is founded on 1998. SHALL manufacturing complex locates on Economy & Technology Development Area, total 25,000 square meter.

SHALL products cover full range of tools, such as **Power Tools, Hand Tools, Garden Tools, Pneumatic Tools, Tool Sets, Agriculture Tools, Water Pumps, Generators, Power Tools Accessories, Fasteners, Hardware, Taps & Dies, Ladders & Automotive Accessories. We have more than 10,000 items.**

As a Reliable Chinese company, The SHALL Group offer customers quality products, competitive prices and on-time deliveries. We sell our products world wide.

SHALL have good reputation in the market.SHALL's Excellent Financial Situation strongly support our Input of Marketing, QA,New Products Developing...

SHALL is good. SHALL can be better. SHALL is Improving & Growing.

ALUMINUM TELESCOPIC SINGLE LADDER

SHALL®

ALUMINUM TELESCOPIC SINGLE LADDER




1701002



▶ PRODUCT DETAILS



▶ TECHNICAL SPECIFICATIONS



Item No.	NO.of Step	Step distance (cm)	A(cm)	B(cm)	C(cm)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1701001	7	30	45	67	200	4.7	69X64X7	1050	2480
1701002	9	30	46	73	260	6.2	75X47X8	900	2230
1701003	10	30	46	77	290	7.3	79X47X8	870	2100
1701004	11	30	47	80	320	8.1	81X48X9	830	1920
1701005	13	30	47	85	380	10.1	87X48X9	690	1700
1701006	14	30	48	87	410	10.6	89X49X10	600	1460
1701007	15	30	48	90	440	11.7	92X49X10	580	1380
1701008	14	37	48	96	500	12.3	98X49X10	530	1300



▶ COLOR FOR OPTIONS



1702005BY



1702005BR



1702005BB




1702005BL




1703005



▶ PRODUCT DETAILS




▶ TECHNICAL SPECIFICATIONS



Item No.	NO.of Step	Step distance (cm)	A(cm)	B(cm)	C(cm)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1702001	7	30	45	67	200	4.8	69X64X7	1050	2480
1702002	9	30	46	73	260	6.3	75X47X8	900	2230
1702003	10	30	46	77	290	7.5	79X47X8	870	2100
1702004	11	30	47	80	320	8.3	81X48X9	830	1920
1702005	13	30	47	85	380	10.3	87X48X9	690	1700
1702006	14	30	48	87	410	10.9	89X49X10	600	1460
1702007	15	30	48	90	440	13.0	92X49X10	580	1380
1702008	14	37	48	96	500	13.8	98X49X10	530	1300

▶ TECHNICAL SPECIFICATIONS



Item No.	NO.of Step	Step distance (cm)	A(cm)	B(cm)	C(cm)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1703001	7	30	47	67	200	6.9	69X48X8	1030	2410
1703002	9	30	47	73	260	8.8	75X48X9	920	2150
1703003	10	30	48	77	290	9.6	79X47X9	860	2050
1703004	11	30	48	80	320	10.7	83X48X9	800	1850
1703005	13	30	49	87	380	13.7	89X48X10	600	1600

ALUMINUM TELESCOPIC SINGLE LADDER / FINGER PROTECTION

SHALL®

SHALL®

ALUMINUM HOUSEHOLD TELESCOPIC LADDER


▶ **PRODUCT DETAILS**



1704006



1704002BY



150 kg

▶ **TECHNICAL SPECIFICATIONS**

Item No.	NO.of Step	Step distance (cm)	A(cm)	B(cm)	C(cm)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1704001	9	30	46	87	260	6.4	89X48X8	900	2230
1704002	10	30	47	93	290	7.4	95X48X8	760	1800
1704003	11	30	47	98	320	8.3	100X48X9	640	1550
1704004	13	30	47	109	380	10.3	111X48X9	580	1400
1704005	14	30	48	113	410	10.9	115X49X10	490	1200
1704006	14	37	48	118	500	13.7	120X49X10	460	1100

▶ **PRODUCT DETAILS**




1703004BR



1705003BR 1703004SB

▶ **TECHNICAL SPECIFICATIONS**



150 kg

Item No.	NO.of Step	Step distance (cm)	Step Width (cm)	A(cm)	B(cm)	C(cm)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1705001	4+5	30	3.9/8.0	45	64+60	146+116	6.5/6.8	67.5X48.5X16.5	520	1240
1705002	5+6	30	3.9/8.0	47	67+70	175+145	8.7	72X48.5X16.5	490	1180
1705003	5+7	30	3.9/8.0	47	67+75	205+145	9.2	76X48.5X16.5	460	1100
1705004	6+8	30	3.9/8.0	47	70+78	220+175	10.3/10.6	79.5X48.5X16.5	440	1050



WWW.SHALLGROUP.COM




1706002



1706005



17006001




▶ TECHNICAL SPECIFICATIONS

Item No.	NO.of Step	Step distance (cm)	A(cm)	B(cm)	C(cm)	D(m)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1706001	5+5	30	48	83	156	1.6+1.6	11.2	86X48X16(1pc/ctn)	400	990
1706002	6+6	30	48	85	186	1.9+1.9	13.1	88X49X17(1pc/ctn)	350	880
1706003	7+7	30	48	87	213	2.2+2.2	14.9	90X50X18(1pc/ctn)	320	790
1706004	8+8	30	48	90	245	2.5+2.5	16.8	93X50X19(1pc/ctn)	300	750
1706005	9+9	30	48	93	273	2.8+2.8	20.1	96X50X19(1pc/ctn)	280	700



1707001




▶ TECHNICAL SPECIFICATIONS

Item No.	NO.of Step	A(cm)	B(cm)	C(cm)	D(cm)	E(m)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1707001	4X3	36	100	102	180	368	12.8	86X48X16(1pc/pack)	300	660
1707002	4X4	36	123	125	226	468	14.6	88X49X17(1pc/pack)	244	570
1707003	4X5	36	151	148	279	576	16.4	90X50X18(1pc/pack)	180	445
1707004	4X7	36	206	/	385	/	19.3	93X50X19(1pc/pack)	124	308
1707005	4X8	36	234	/	483	/	21.3	96X50X19(1pc/pack)	108	270



1708001



▶ TECHNICAL SPECIFICATIONS


Item No.	NO.of Step	A(cm)	B(cm)	C(cm)	D(cm)	E(m)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1708001	4X2	36	71	70	123	250	9.2	72X28X36(1pc/pack)	420	998
1708002	4X3	36	100	100	179	368	10.9	101X28X36(1pc/pack)	300	660
1708003	4X4	36	123	122	226	467	12.1	124X28X36(1pc/pack)	244	570
1708004	4X5	36	151	148	279	578	13.1	152X28X36(1pc/pack)	180	445



1709002

▶ TECHNICAL SPECIFICATIONS

Item No.	NO.of Step	A(cm)	B(cm)	C(cm)	D(cm)	E(m)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1709001	4X3	36	96	92	174	356	11.6	101X27X37(1pc/pack)	300	680
1709002	4X4	36	122	117	225	462	14.1	124X27X37(1pc/pack)	244	540
1709003	4X5	36	151	148	277	574	14.7	152X27X37(1pc/pack)	180	440
1709004	4X6	36	178	/	330	/	16.3	178X27X37(1pc/pack)	150	360



1710001

▶ PRODUCT DETAILS



▶ TECHNICAL SPECIFICATIONS

Item No.	NO.of Step	Step distance (cm)	A(cm)	B(cm)	C(cm)	D(m)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1710001	4X3	28	93/44	88	141	288	8.7	94X46X20(1pc/pack)	310	770
1710002	4X4	28	121/49	114	195	400	10.8	121X52X20(1pc/pack)	230	580
1710003	4X5	28	148/49	140	247	510	12.4	149X52X20(1pc/pack)	190	470
1710004	4X6	28	175/52	166	299	620	14.5	177X58X20(1pc/pack)	150	370

ALUMINUM MULTIPURPOSE LADDER



WWW.SHALLGROUP.COM

PAGE-14

SHALL®

**HOUSEHOLD STEEL
LADDER WITH TOOL TRAY**



171102



171104



▶ TECHNICAL SPECIFICATIONS

**150
kg**

Item No.	NO.of Step	Step distance (cm)	Open size (cm)	Folded size (cm)	Top step size (cm)	Top step size (cm)	Top step height (cm)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1711001	2	19.5	80X50X54	88X6X54	27X37.5	20.5X37	47	3.9	89X54X25(1pc/ctn)	900	2200
1711002	3	19.5	103X58X54	112X6X54	27X37.5	20.5X37	70	5.3	113X54X25(1pc/ctn)	700	1760
1711002T	3	19.5	126X63X54	136X6X54	27X37.5	20.5X37	70	6.4	137X54X25(1pc/ctn)	580	1400
1711003T	4	19.5	149X82X54	161X6X54	27X37.5	20.5X37	94	7.6	162X54X25(1pc/ctn)	480	1200



171204

▶ **PRODUCT DETAILS**



171201



171202



171203

▶ **TECHNICAL SPECIFICATIONS**




Item No.	NO.of Step	Step distance (cm)	Open size (cm)	Folded size (cm)	Top step size (cm)	Top step height (cm)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1712001	3	24	114X47X66	125X47X15	26X38	72	6.0	127X31X48(4pc/ctn)	580	1400
1712002	3	24	96X47X68	106X47X8.5	26X38	72	6.0	109X48X33(4pc/ctn)	620	1550
1712003	3	24	112X47X68	122X47X8.5	26X38	72	6.3	125X33X48(4pc/ctn)	570	1390
1712004	3	24	131X50X66	143X50X10	26X38	72	7.5	144X12X52(1pc/ctn)	330	800
1712005	4	24	155X50X83	168X50X10	26X38	95	9.8	170X12X52(1pc/ctn)	280	630
1712006	5	24	179X50X99	192X50X10	26X38	119	12.1	194X12X20(1pc/ctn)	230	500



1713003

▶ **PRODUCT DETAILS**



1713001



1713002



1713003



1713004



1713005

▶ **TECHNICAL SPECIFICATIONS**



Item No.	NO.of Step	Step distance (cm)	Open size (cm)	Folded size (cm)	Top step size (cm)	Top step height (cm)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1713001	3	19.5	109X40X61	115X40X11	23X24	56	2.3	115X40X22(2pc/ctn)	650	1480
1713002	4	19.5	127X42X78	136X43X11	23X24	77	2.7	138X42X22(2pc/ctn)	500	1180
1713003	5	19.5	147X44X95	157X47X11	23X24	96	3.1	158X45X22(2pc/ctn)	400	940
1713004	6	19.5	167X47X108	178X47X11	23X24	117	3.6	178X47X22(2pc/ctn)	320	800
1713005	7	19.5	185X49X123	199X49X11	23X24	136	4.1	201X49X22(2pc/ctn)	280	690
1713006	8	19.5	205X51X135	221X51X11	23X24	155	4.5	223X52X22(2pc/ctn)	220	540



1714003



1714001



1714002



1714004



1714005



1715001



1715002




1715003



▶ TECHNICAL SPECIFICATIONS

Item No.	NO.of Step	Step distance (cm)	Open size (cm)	Folded size (cm)	step width (cm)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1714001	2X1	24	30X34X27	33X34X15	8	1	34X35X49(4pc/ctn)	1800	4600
1714002	2X2	24	49X36X42	53X36X15	8	1.5	54X37X49(4pc/ctn)	1100	2740
1714003	2X3	24	73X38X60	78X38X15	8	2.2	80X39X49(4pc/ctn)	700	1750
1714004	2X4	24	97X40X79	104X40X15	8	2.8	106X41X49(4pc/ctn)	500	1300
1714005	2X5	24	121X42X96	130X42X15	8	3.5	132X43X49(4pc/ctn)	380	960

▶ TECHNICAL SPECIFICATIONS



Item No.	Platform size (cm)	A(cm)	B(cm)	C(cm)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1715001	48X30	22.5	57	38	7.5	50X32X8(1pc/ctn)	2200	5400
1715002	76X30	50	110	41	4.8	79X42X16(1pc/ctn)	600	1400
1715003	76X30	50	110	41	6.3	79X42X16(1pc/ctn)	600	1400



EXTENSION LADDER

SHALL®


SHALL®

SCAFFOLDING LADDER




1716002

▶ PRODUCT DETAILS




▶ TECHNICAL SPECIFICATIONS



Item No.	NO.of Step	Step distance (cm)	A/B/C (cm)	D(cm)	E(cm)	F(cm)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1716001	3X6	28	33/39.5/46	170	254	338	8.4	170X46X16(1pc/pack)	220	547
1716002	3X7	28	33/39.5/46	198	310	422	9.5	198X46X16(1pc/pack)	190	460
1716003	3X8	28	33/39.5/46	226	366	506	10.5	226X46X16(1pc/pack)	160	400
1716004	3X9	28	33/39.5/46	254	422	590	11.5	254X46X16(1pc/pack)	140	350
1716005	3X10	28	33/39.5/46	282	478	674	12.7	282X46X16(1pc/pack)	120	310
1716006	3X11	28	33/39.5/46	310	534	758	14.0	310X46X16(1pc/pack)	100	260
1716007	3X12	28	33/39.5/46	338	590	842	14.9	338X46X16(1pc/pack)	100	260



▶ TECHNICAL SPECIFICATIONS



Item No.	NO.of Step	Step distance (cm)	A(cm)	B(cm)	C(cm)	D(cm)	Platform size(cm)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1717001	2X6	28	168	160	160	276	147X40	14.6	166X42.5X17.5(1pc/ctn)	270	650

SCAFFOLDING LADDER



WWW.SHALLGROUP.COM

SHALL®

FIBERGLASS STEP LADDER



▶ PRODUCT DETAILS




▶ TECHNICAL SPECIFICATIONS



Item No.	NO.of Step	Step spacing	A(cm)	B(cm)	C(cm)	D(cm)	E(cm)	N.W.(kg)	40HQ (pcs)
1719001	3	31	117	32	75	48	127	4.7	940
1719002	4	31	144	32	91	52	158	5.9	730
1719003	5	31	174	32	108	57	188	6.8	590
1719004	6	31	203	32	123	61	218	7.9	480
1719005	7	31	231	32	142	65	248	8.9	420


▶ PRODUCT DETAILS




▶ TECHNICAL SPECIFICATIONS

Item No.	NO.of Step	A(cm)	B(cm)	C(cm)	D(cm)	E(cm)	N.W.(kg)	Packing Size(cm)	20GP (pcs)	40HQ (pcs)
1718001	3	37	99	98	173	360	14.0	98X28X38	320	730
1718002	4	37	126	125	227	470	16.2	125X28X38	250	560
1718003	5	37	154	153	281	580	18.7	152X28X38	175	430

▶ PRODUCT DETAILS



▶ TECHNICAL SPECIFICATIONS



Item No.	Size	Step number	Length	Ladder weight	Packing size
1720001	2.25+2.45m	7+7	max open length : 380cm folded length : 260cm	13.kg	265x45x16
1720002	2.55+2.75m	8+8	max open length : 440cm folded length : 290cm	15kg	295x45x16
1720003	2.85+3.05m	9+9	max open length : 500cm folded length : 320cm	16.5kg	325x45x16
1720004	3.15+3.35m	10+10	max open length : 560cm folded length : 350cm	18kg	355x45x16
1720005	3.45+3.65m	11+11	max open length : 620cm folded length : 380cm	19.5kg	385x45x16
1720006	3.75+3.95m	12+12	max open length : 680cm folded length : 410cm	21.1kg	415x45x16



► SCENES TO BE USED



► SCENES TO BE USED



► TECHNICAL SPECIFICATIONS

Item No.	N.W./G.W. (kgs)	Carton size (cm)	CTN QTY	20'GP	40'GP	40'HQ
1721001	4.5/5.5	38.5X38.5x52	4	1440	3024	3480
1721002	4.5/5.0	39X38.5x54	4	1296	2736	2976
1721003	4.5/5.0	39X38.5x59	4	1296	2736	2976
1721004	4.5/5.5	38.5X38.5x52	4	1440	3024	3480

► TECHNICAL SPECIFICATIONS

Item No.	N.W./G.W. (kgs)	Carton size (cm)	CTN QTY	20'GP	40'GP	40'HQ
1722001	5/6	39.5X29x42	2	1148	2490	2592
1722002	5.5/6.5	38.5X46x32	4	1008	2100	2304



FOLDING LADDER SERIES

SHALL®



MANUFACTURING COMPLEX



厂房
FACTORY BUILDINGS



厂房
FACTORY BUILDINGS



办公楼
OFFICE BUILDING



生产流水线
PRODUCTION LINE

TECHNICAL SPECIFICATIONS

Item No.	Open Size	Loading capacity	No of steps	CTN QTY	Packing specification	N.W / G.W
1723001	44.5x103.2x111cm	150KG	3	1	124x13x9cm	4.4 / 5.4KG
1723002	44.5x118.2x141cm	150KG	4	1	145x13x9cm	5.3 / 6.3KG
1723003	44.5x133x171cm	150KG	5	1	184x13x9cm	6.6 / 7.6KG
1723004	44.5x168x200cm	150KG	6	1	214x13x9cm	7.8 / 8.8KG